Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Oates Environmental Limited

Carr Crofts Waste Treatment Facility
10 Carr Crofts Drive
Leeds
West Yorkshire
LS12 3AL

Variation application number

EPR/YP3832WS/V006

Permit number

EPR/YP3832WS

Carr Crofts Waste Treatment Facility
Permit number EPR/YP3832WS

Introductory note

This introductory note does not form a part of the permit

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. All the conditions of the permit have been varied and are subject to the right of appeal.

This permit variation has been issued to implement guidance “Chemical waste: appropriate measures for permitted facilities”, “Healthcare waste: appropriate measures for permitted facilities”, “Non-hazardous and inert waste: appropriate measures for permitted facilities”, and “Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities”.

Changes introduced by this variation notice/statutory review

The Industrial Emissions Directive (IED) came into force on 7 January 2014 with the requirement to implement all relevant Best Available Techniques (BAT) Conclusions as described in the Commission Implementing Decision. Article 21(3) of the IED requires the Environment Agency to review conditions in permits that it has issued and to ensure that the permit delivers compliance with relevant standards, within four years of the publication of updated decisions on Best Available Techniques (BAT) Conclusions. The BAT Conclusions for Waste Treatment (the BREF) was published on 17 August 2018 following a European Union wide review of BAT, implementing decision (EU) 2018/1147 of 10 August 2018.

On 18 November 2020, Chemical waste: appropriate measures for permitted facilities guidance was published on gov.uk. On 13 July 2020, Healthcare Waste: appropriate measures for permitted facilities guidance was published on gov.uk. On 13 July 2022, Waste electrical and electronic equipment (WEEE) and Waste temperature exchange equipment (WTEE): appropriate measures for permitted facilities were published on gov.uk. On 12 July 2021, Non-hazardous and inert waste: appropriate measures for permitted facilities guidance was published on gov.uk. The guidance explains the standards that are relevant to regulated facilities with an environmental permit to treat or transfer chemical waste, providing indicative BAT for those sites.

This permit variation has been issued to update some of the conditions following a statutory review of the permits in the chemical waste treatment and transfer, WEEE/WTEE treatment and transfer, Healthcare and Non-hazardous treatment and transfer sectors, and to implement the appropriate measures guidance. The opportunity has also been taken to consolidate the original permit and subsequent variations where appropriate.

Change of registered office address

As of 02/07/2025, the registered office address of Oates Environmental Limited, registered with Companies House under company number **04005464**, changed from Oates Environmental Limited 10 Carr Crofts Drive Armley Leeds W Yorkshire LS12 3AL England to 5 Mitchell Court Castle Mound Way Rugby Warwickshire CV23 0UY. The legal entity, identified by the company number, remains the same, therefore this change is noted within this variation as a change of fact only.

Brief description of the process

The regulated facility comprises:

- treatment of hazardous waste;

- blending or mixing of hazardous waste;
- repackaging of hazardous waste;
- temporary storage of hazardous waste;
- vehicle container washing;
- raw material storage;
- treatment of non-hazardous waste;
- repackaging of non-hazardous waste;
- temporary storage of non-hazardous waste.

Treatment of waste includes:

- disposal of hazardous waste by pre-mixing, settlement, phase separation, equalisation and ultrafiltration;
- recovery of hazardous waste oil by settlement and phase separation;
- recovery of hazardous waste by blending and mixing;
- disposal of non-hazardous waste by pre-mixing, settlement, phase separation, equalisation and ultrafiltration.

The facility is a chemical waste treatment and transfer station used for the receipt, repackaging, bulking, storage and transfer of hazardous and non-hazardous wastes before third-party recycling, recovery or disposal. The site manages hazardous and non-hazardous waste in two main categories. The first is packaged waste, such as drummed materials, which are stored, repackaged, and blended or mixed before off-site disposal or recovery. The second is liquid waste, including oily waste, aqueous waste and leachates, which are treated on site.

The site treats hazardous and non-hazardous liquid wastes using the same treatment plant, including pre-mixing, settlement, phase separation, equalisation and ultrafiltration. Where hazardous and non-hazardous liquid wastes are treated together through the ultrafiltration plant, this is authorised as co-treatment under the hazardous waste treatment activity in Table S1.1. The activity AR1 references the relevant hazardous and non-hazardous waste tables in Schedule 2.

Some separated oil phases may be further treated by blending or mixing with other similar waste. Company vehicles are also cleaned on site in the transport yard in a dedicated contained area, and the wash water is treated through the ultrafiltration plant. The ultrafiltration process produces permeate and concentrate. The permeate is stored before discharge to sewer. The concentrate is stored before despatch off site for disposal. The site processes hazardous and non-hazardous wastes at a combined annual throughput of 30,000 tonnes. The site has a maximum combined storage capacity of 670 tonnes for hazardous and non-hazardous wastes.

The site installation activities are as follows:

- Section 5.3 Part A(1)(a)(ii) - Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving physico-chemical treatment;
- Section 5.3 Part A (1)(a)(iii) - Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving blending or mixing;
- Section 5.3 Part A(1)(a)(iv) - Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving repackaging;
- Section 5.4 Part A(1)(a)(ii) - Disposal of non-hazardous waste with a capacity exceeding 50 tonnes per day involving physico-chemical treatment;
- Section 5.6 Part A(1)(a) - Temporary storage of hazardous waste with a total capacity exceeding 50 tonnes.

The site waste operation enables storage and repackaging of non-hazardous waste prior to transfer for disposal or recovery. The facility has a diesel-powered generator (net thermal input approx. 0.62 MW) for electrical power supply.

The facility is located on Carr Crofts Drive, Leeds: National Grid Reference SE 26792 33146. The site comprises a warehouse building with office facilities and two yard areas. There are other similar units neighbouring the site, and housing within 50 m to the south and south-east. Several railway tracks run approximately 50 m to the north-west of the site. Part of the Leeds-Liverpool Canal, a site of special scientific interest (SSSI) lies within 2 km of the site, as do several local wildlife sites.

There are no direct emissions to land from the installation. The facility has ten emission points to air. Improvement Conditions IC4a and IC4b require the installation and operation of abatement systems for relevant process and storage emissions to air. Surface water and drainage from the operational areas of the facility are collected in sumps and recycled through the on-site treatment process. The resulting effluent is discharged to sewer.

Oates Environmental Limited operates to an Environmental Management System (EMS), to comply with the requirements of ISO 14001.

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	**Date**	**Comments**
Application EPR/YP3832WS/A001	Duly made 28/09/2015	
Schedule 5 Notice dated 05/11/2015	23/11/2015 and 09/12/2015	
Permit determined EPR/YP3832WS/A001	23/03/2016	Permit issued to Oates Environmental Limited.
Application (variation and consolidation) EPR/YP3832WS/V002	Duly made 26/05/2016	Application to vary and update the permit to modern conditions.
Variation determined EPR/YP3832WS/V002	14/06/2016	Varied and consolidated permit issued in modern condition format.
Application EPR/YP3832WS/V003 (variation)	Duly made 17/07/2017	Application to add one waste code to the list of permitted wastes.
Variation determined EPR/YP3832WS/V003	14/09/2017	Varied permit issued.
Application EPR/YP3832WS/V004 (variation and consolidation)	06/07/2020	Application to increase waste storage capacity and allow storage of waste outside of the building. Duly made.
Response to request for information dated 31/07/2020	03/08/2020	Holding area and waste bay infrastructure details.
Additional response to request for information dated 31/07/2020	04/08/2020	Further information on waste bay infrastructure details.
Variation determined EPR/YP3832WS/V004	10/08/2020	Varied permit issued.
Permit review- Regulation 61 Notice sent to Operator	18/11/2021	Regulation 61 Notice requiring information for statutory review of permit.
Permit review – Regulation 61 Notice response	04/04/2022	Response received from the operator.

Status log of the permit		
Description	**Date**	**Comments**
Application EPR/YP3832WS/V005 (variation and consolidation)	Duly made 08/12/2022	Application to increase the permitted site boundary for outside storage, expand the list of wastes permitted to be accepted at the facility, and add a new activity, Section 5.3 Part A(1)(a)(iii) blending or mixing.
Schedule 5 Notice dated 23/02/2023	14/03/2023	Further information on the purpose of the blending or mixing activity, waste codes to be removed, risk assessments, assessments against BAT and appropriate measures, revised Fire Prevention Plan, updated site layout plan.
Additional information request dated 31/03/2023	03/04/2023	Updated Environmental & H&S Site Inspection Form and Fire-Watch & Security Inspection.
Additional information request dated 26/04/2023	28/04/2023	Request for administrative change to correct the number of vents on the tank farm.
Schedule 5 Notice dated 12/05/2023	15/05/2023	Request to amend the application to limit the storage of hazardous waste outside to hazardous wastes without HP2, HP3, HP8, HP12 hazardous property codes. Revision of associated documents including an updated site boundary and warehouse layout plan, Fire Prevention Plan, environmental risk assessments, assessments against BAT and appropriate measures.
Additional information request dated 22/05/2023	22/05/2023	Updated warehouse layout plan, Fire Prevention Plan, and supporting document to include tanks 9 and 10 within the tank farm, and the laboratory smalls testing area.
Variation determined EPR/YP3832WS/V005	07/06/2023	Varied and consolidated permit issued.
Permit Review – Application (variation and consolidation) EPR/YP3832WS/V006	Environment Agency Initiated Variation	Statutory review of permit occasioned by • Waste Treatment BAT Conclusions published on 17 August 2018. • Chemical waste: appropriate measures for permitted facilities published 18 November 2020. • Healthcare Waste: appropriate measures for permitted facilities published 13 July 2020, • Non-hazardous and inert waste: appropriate measures for permitted facilities published 12 July 2021. • Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities published 13 July 2022. • Waste temperature exchange equipment: appropriate measures for permitted facilities published 13 July 2022.

Status log of the permit		
Description	**Date**	**Comments**
Additional information received in response to the Request for Further Information (RFI) dated 27/06/2025	07/07/2025	Response received from the operator with information including: · • Compliance with Waste electrical and electronic equipment (WEEE) appropriate measures. • Compliance with Healthcare waste appropriate measures. • Updated site plan. • Process and activity flow information. • Storage arrangement. • Process flow chart.
Additional information received in response to the Request for Further Information (RFI) dated 01/08/2025	06/08/2025	Further information on the treatment of Aqueous wastes and oily wastes on-site.
Additional information received in response to the Request for Further Information (RFI) dated 29/09/2025	03/10/2025	Response received from the operator with information including: • Blending and mixing operation. • Compliance with Waste temperature exchange equipment (WTEE) appropriate measures.
Additional information received	19/12/2025	Response received from the operator with information including: • Updated site plan. • Updated storage arrangement
Additional information received	05/02/2026	Email explaining (BAT) justification for the mixing of hazardous and non-hazardous effluent streams for treatment through the ultrafiltration process.
	14/04/2026	Updated site plan reference: Appendix 25 SITE PLAN 2026.
	08/05/2026	Updated emissions inventory and H1 risk assessment (sewer)
Environment Agency Initiated Variation	11/08/2026	Completed Improvement Condition IC1 and completed Pre-operational Measures S1.4A(1), S1.4B(1) and S1.4B(2) removed from the permit.
Environment Agency Waste Treatment Sector Review Permit reviewed Variation determined EPR/YP3832WS/V006	14/10/2026	Varied and consolidated permit issued.

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies and consolidates

Permit number

EPR/YP3832WS

Issued to

Oates Environmental Limited ("the operator")

whose registered office is

5 Mitchell Court,

Castle Mound Way,

Rugby,

Warwickshire,

CV23 0UY

company registration number **04005464**

to operate regulated facilities at

Carr Crofts Waste Treatment Facility

10 Carr Crofts Drive

Leeds

West Yorkshire

LS12 3AL

to the extent set out in the schedules.

The notice shall take effect from 14/10/2026

Name	Date
Hannah Finney	**14/10/2026**

Authorised on behalf of the Environment Agency

Schedule 1

All conditions have been varied by the consolidated permit as a result of an Environment Agency initiated variation.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/YP3832WS

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/YP3832WS/V006 authorising,

Oates Environmental Limited ("the operator"),

whose registered office is

5 Mitchell Court,
Castle Mound Way,
Rugby,
Warwickshire,
CV23 0UY

company registration number **04005464**

to operate an installation and waste operation at
Carr Crofts Waste Treatment Facility
10 Carr Crofts Drive
Leeds
West Yorkshire
LS12 3AL

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Hannah Finney	**14/10/2026**

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

1.1.1 The operator shall manage and operate the activities:

(a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and

(b) using sufficient competent persons and resources.

1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.

1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.

1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Energy efficiency

1.2.1 For the following activities referenced in schedule 1, table S1.1 AR1 to AR11 the operator shall:

(a) take appropriate measures to ensure that energy is used efficiently in the activities;

(b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and

(c) take any further appropriate measures identified by a review.

1.3 Efficient use of raw materials

1.3.1 For the following activities referenced in schedule 1, table S1.1 AR1 to AR11 the operator shall:

(a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;

(b) maintain records of raw materials and water used in the activities;

(c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and

(d) take any further appropriate measures identified by a review.

1.4 Avoidance, recovery and disposal of wastes produced by the activities

1.4.1 The operator shall take appropriate measures to ensure that:

(a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and

(b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and

(c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.

1.4.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the "activities").

2.1.2 Waste authorised by this permit shall be clearly distinguished from any other waste on the site.

2.2 The site

2.2.1 The activities shall not extend beyond the site, being the land shown edged in red on the site plan at schedule 7 to this permit.

2.3 Operating techniques

2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.

2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation ("plan") specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.

2.3.3 Waste shall only be accepted if:

(a) it is of a type and quantity listed in schedule 2 table(s) S2.2, S2.3, S2.4, S2.5, S2.6; and

(b) it conforms to the description in the documentation supplied by the producer and holder.

2.3.4 The operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:

(a) the nature of the process producing the waste;

(b) the composition of the waste;

(c) the handling requirements of the waste;

(d) the hazardous property associated with the waste, if applicable; and

(e) the waste code of the waste.

2.3.5 The operator shall ensure that where waste produced by the activities is sent to a landfill site, it meets the waste acceptance criteria for that landfill.

2.4 Hazardous waste storage and treatment

2.4.1 Hazardous waste shall not be mixed, either with a different category of hazardous waste or with other waste, substances or materials, unless it is authorised by schedule 1 table S1.1 and appropriate measures are taken.

2.5 Improvement programme

2.5.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.

2.5.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

3 Emissions and monitoring

3.1 Emissions to water, air or land

3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 tables S3.1 and S3.2.

3.1.2 The limits given in schedule 3 shall not be exceeded.

3.1.3 Periodic monitoring shall be carried out at least once every 5 years for groundwater and 10 years for soil, unless such monitoring is based on a systematic appraisal of the risk of contamination.

3.2 Emissions of substances not controlled by emission limits

3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.

3.2.2 The operator shall:

(a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;

(b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.

3.3.2 The operator shall:

(a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;

(b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.4 Noise and vibration

3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.

3.4.2 The operator shall:

(a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;

(b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Monitoring

3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit:

(a) point source emissions specified in tables S3.1 and S3.2;

(b) process monitoring specified in table S3.3.

3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.

3.5.3 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme and the environmental or other monitoring specified in condition 3.5.1 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.

3.5.4 Permanent means of access shall be provided to enable sampling/monitoring to be carried out in relation to the emission points specified in schedule 3 tables S3.1 and S3.2 unless otherwise agreed in writing by the Environment Agency.

3.6 Pests

3.6.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.

3.6.2 The operator shall:

(a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution from pests;

(b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.7 Fire prevention

3.7.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.

3.7.2 The operator shall:

(a) if notified by the Environment Agency that the activities are giving rise to a risk of fire, submit to the Environment Agency for approval within the period specified, a fire prevention plan which prevents fires and minimises the risk of pollution from fires;

(b) implement the fire prevention plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

4 Information

4.1 Records

4.1.1 All records required to be made by this permit shall:

(a) be legible;

(b) be made as soon as reasonably practicable;

(c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and

(d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:

(i) off-site environmental effects; and

(ii) matters which affect the condition of the land and groundwater.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.

4.2.2 For the following activities referenced in schedule 1, table S1.1 AR1 to AR11 a report or reports on the performance of the activities over the previous year shall be submitted to the Environment Agency by 31 January (or other date agreed in writing by the Environment Agency) each year. The report(s) shall include as a minimum:

(a) a review of the results of the monitoring and assessment carried out in accordance with the permit including an interpretive review of that data;

(b) the annual production/treatment data set out in schedule 4 table S4.2;

(c) the performance parameters set out in schedule 4 table S4.3 using the forms specified in table S4.4 of that schedule.

4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:

(a) in respect of the parameters and emission points specified in schedule 4 table S4.1;

(b) for the reporting periods specified in schedule 4 table S4.1 and using the forms specified in schedule 4 table S4.4; and

(c) giving the information from such results and assessments as may be required by the forms specified in those tables.

4.2.4 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

4.2.5 Within 1 month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

4.3 Notifications

4.3.1 In the event:

(a) that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—

(i) inform the Environment Agency,

(ii) take the measures necessary to limit the environmental consequences of such an incident or accident, and

(iii) take the measures necessary to prevent further possible incidents or accidents;

(b) of a breach of any permit condition the operator must immediately—

(i) inform the Environment Agency, and

(ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;

(c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.

4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

(a) any change in the operator's trading name, registered name or registered office address; and

(b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

(c) any change in the operator's name or address; and

(d) any steps taken with a view to the dissolution of the operator.

4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

(a) the Environment Agency shall be notified at least 14 days before making the change; and

(b) the notification shall contain a description of the proposed change in operation.

4.3.6 The Environment Agency shall be given at least 14 days' notice before implementation of any part of the site closure plan.

4.4 Interpretation

4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "immediately", in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 activities			
Activity reference	**Activity listed in Schedule 1 of the EP Regulations**	**Description of specified activity and WFD Annex I and II operations**	**Limits of specified activity and waste types**
AR1	Section 5.3 Part A (1)(a)(ii) Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving physico-chemical treatment.	Treatment of hazardous waste for the purpose of disposal. D9 Physico-chemical treatment resulting in final compounds or mixtures which are discarded by any of the operations numbered D1 to D12.	From treatment of hazardous liquid wastes by pre-mixing, settlement, phase separation, equalisation and filtration in separation tank (Tank 5), silt buster tank (Tank 6), equalisation tank (Tank 4) and enclosed ultrafiltration system Tank 1, UF plant, and Tank 3, as shown on the plan Appendix 25 SITE PLAN 2026 to storage of treated permeate and concentrate. No more than 200 tonnes per day of hazardous waste shall be treated in aggregate with AR2. The treatment of wastes shall not result in: • wastes which react with one another; • wastes which could be recovered with other wastes if this means that the waste must now be sent for disposal or a lower form of recovery; • oils where this could negatively affect their regeneration or recycling; • wastes containing Persistent Organic Pollutants (POPs) being mixed solely to generate a mixture below the defined low POPs content; • waste to deliberately dilute it. Treatment shall take place in a dedicated area within the enclosed plant and tanks using extraction and abatement on an impermeable surface with sealed drainage. Treated solids sludge shall be stored in sealed containers prior to transfer off-site, treated concentrate waste shall be stored in concentrate tank (Tank 7) prior to transfer off-site, treated permeate shall be stored in permeate

Table S1.1 activities			
Activity reference	**Activity listed in Schedule 1 of the EP Regulations**	**Description of specified activity and WFD Annex I and II operations**	**Limits of specified activity and waste types**
			tank (Tank 8) prior to discharge to sewer. All treated waste shall be stored on an impermeable surface with sealed drainage for no longer than 6 months. No more than 670 tonnes of treated hazardous and non-hazardous waste shall be stored on site at any one time. No waste types shall be submitted to this activity other than those wastes specified in Schedule 2, Table S2.2 and S2.5.
AR2	Section 5.3 Part A (1)(a)(ii) Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving physico-chemical treatment.	Treatment of hazardous waste for the purpose of recovery. R3: Recycling / reclamation of organic substances which are not used as solvents.	From treatment of hazardous oily wastes and oil water mixtures by settlement and phase separation in a separation tank (Tank 5) as shown on the plan Appendix 25 SITE PLAN 2026 to storage of treated waste oil and solid sludges. No more than 200 tonnes per day of hazardous waste shall be treated in aggregate with AR1. The treatment of wastes shall not result in: • wastes which react with one another; • wastes which could be recovered with other wastes if this means that the waste must now be sent for disposal or a lower form of recovery; • oils where this could negatively affect their regeneration or recycling; • wastes containing Persistent Organic Pollutants (POPs) being mixed solely to generate a mixture below the defined low POPs content; • waste to deliberately dilute it. Treatment shall take place in a dedicated area in an enclosed separation tank using extraction and abatement, on an impermeable surface with sealed drainage.

Table S1.1 activities			
Activity reference	**Activity listed in Schedule 1 of the EP Regulations**	**Description of specified activity and WFD Annex I and II operations**	**Limits of specified activity and waste types**
			Treated waste oil shall be stored in sealed containers prior to transfer off-site, treated solids sludge shall be stored in sealed containers prior to transfer off-site. All treated waste shall be stored on an impermeable surface with sealed drainage for no longer than 6 months. No more than 670 tonnes of treated hazardous and non-hazardous waste shall be stored on site at any one time for all activities in aggregate. No waste types shall be submitted to this activity other than those hazardous wastes specified in Schedule 2, Table S2.2.
AR3	Section 5.3 Part A (1)(a)(iii) Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving blending or mixing	Blending or mixing of hazardous waste. R3: Recycling / reclamation of organic substances which are not used as solvents.	From treatment of hazardous waste by blending or mixing in containers using dip pipes and mechanical equipment – such as forklift trucks (FLTs) with rotators and/or mobile pumps – within the sampling/blending & repackaging area as shown on plan Appendix 25 SITE PLAN 2026 to storage of treated waste. Blending or mixing is limited to: • wastes of the same general type having similar characteristics. • wastes that have been checked or tested for compatibility, that is wastes that will not react together or give rise to evolution of gas. The following wastes shall not be blended or mixed: • wastes for recovery with wastes that would result in the waste being sent for disposal or a lower form of recovery • liquid wastes with other wastes for the purpose of landfilling • oils where this could negatively affect their regeneration or recycling • wastes containing Persistent Organic Pollutants (POPs) being mixed solely to generate a mixture

Table S1.1 activities			
Activity reference	**Activity listed in Schedule 1 of the EP Regulations**	**Description of specified activity and WFD Annex I and II operations**	**Limits of specified activity and waste types**
			below the defined low POPs content • waste to deliberately dilute it. • healthcare waste • asbestos waste No more than 100 tonnes per day of hazardous waste shall be blended or mixed. Hazardous waste shall not be blended or mixed with non-hazardous waste or non-waste. Mixing and blending shall take place in a dedicated area within the bunded, self-contained sampling/blending & repackaging zone using local exhaust ventilation and abatement on an impermeable surface with sealed drainage. Mixed or blended waste, and emptied containers shall be stored securely on site on an impermeable surface with sealed drainage. Blending or mixing of waste shall not change either the maximum storage times for waste on site or the amount of waste that can be stored at any one time. No waste types shall be submitted to this activity other than those hazardous wastes specified in Schedule 2, Table S2.3.
AR4	Section 5.3 Part A (1)(a)(iv) Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving repackaging.	Repackaging of hazardous waste. R12 Exchange of waste for submission to any of the operations numbered R1 to R11 (repackaging). D14 Repackaging prior to submission to any of the	From receipt of waste to repackaging of waste. Repackaging is limited to: • taking a waste package (for example a bag, jar, drum or box) out of one cart or bulk container (for example a skip) and placing it into another cart or bulk container (for example, a skip);

Table S1.1 activities			
Activity reference	**Activity listed in Schedule 1 of the EP Regulations**	**Description of specified activity and WFD Annex I and II operations**	**Limits of specified activity and waste types**
		operations numbered D1 to D13.	• taking a waste package from a cart or bulk container (for example, skip) and placing it onto a pallet or vehicle; • taking a waste package from a pallet and placing it into a cart or bulk container (for example, skip); • transferring, removing or separating waste from its primary packaging (for example container, bags, bins, boxes). Healthcare waste (other than 18 01 06* and 18 02 05* chemicals consisting of or containing hazardous substances) and asbestos waste shall not be transferred, removed or separated from its original packaging. Wastes that are combined together during repackaging activities shall be materially the same and not change the waste's chemical composition or characteristics. Repackaging shall take place in a dedicated area within the bunded, self-contained sampling/blending & repackaging zone using local exhaust ventilation and abatement on an impermeable surface with sealed drainage. Repackaging of waste shall not change either the maximum storage times for waste on site or the amount that can be stored at any one time. No waste types shall be submitted to this activity other than those hazardous wastes specified in Schedule 2, Table S2.4.
AR5	Section 5.4 Part A(1)(a)(ii) Disposal of non-hazardous waste with a capacity exceeding 50 tonnes per day involving physico-chemical treatment.	Treatment of non-hazardous waste involving phase separation and filtration for the purpose of disposal.	From treatment of non-hazardous waste by pre-mixing, settlement, phase separation, equalisation and filtration in separation tank (Tank 5), silt buster tank (Tank 6), equalisation tank (Tank 4) and enclosed ultrafiltration system (Tank 1, UF plant, and Tank 3), as shown on the plan Appendix 25 SITE

Table S1.1 activities			
Activity reference	**Activity listed in Schedule 1 of the EP Regulations**	**Description of specified activity and WFD Annex I and II operations**	**Limits of specified activity and waste types**
		D9 Physico-chemical treatment resulting in final compounds or mixtures which are discarded by any of the operations numbered D1 to D12.	PLAN 2026 to storage of the treated waste. No more than 200 tonnes per day of non-hazardous waste shall be treated. The treatment of wastes shall not result in: • wastes which react with one another; • wastes which could be recovered with other wastes if this means that the waste must now be sent for disposal or a lower form of recovery; • oils where this could negatively affect their regeneration or recycling; • wastes containing Persistent Organic Pollutants (POPs) being mixed solely to generate a mixture below the defined low POPs content; • waste to deliberately dilute it. Treatment shall take place in a dedicated area within the enclosed plant and tanks using extraction and abatement on an impermeable surface with sealed drainage. Treated solids sludge shall be stored in sealed containers prior to transfer off-site, treated concentrate waste shall be stored in concentrate tank (Tank 7) prior to transfer off-site, treated permeate shall be stored in permeate tank (Tank 8) prior to discharge to sewer. All treated waste shall be stored on an impermeable surface with sealed drainage for no longer than 6 months. No more than 670 tonnes of treated hazardous and non-hazardous waste shall be stored on site at any one time No waste types shall be submitted to this activity other than those non-

Table S1.1 activities			
Activity reference	**Activity listed in Schedule 1 of the EP Regulations**	**Description of specified activity and WFD Annex I and II operations**	**Limits of specified activity and waste types**
			hazardous wastes specified in Schedule 2, Table S2.5.
AR6	Section 5.6 Part A(1)(a) Temporary storage of hazardous waste with a total capacity exceeding 50 tonnes.	Temporary storage of hazardous waste. R13 Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced). D15 Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced).	From receipt and storage of hazardous waste on site to its treatment, blending or mixing, or repackaging; or its transfer off-site. The total amount of waste stored on site at any one time, including both hazardous and non-hazardous waste, shall not exceed 670 tonnes. Wastes shall be stored at the locations identified on the storage plan reference “Installation storage arrangement”, and in accordance with the volumes detailed in the plan. All waste shall be stored on impermeable surfacing with sealed drainage. Wastes with the following hazardous properties are not permitted for storage outside: HP2, HP3, HP8, and HP12. Asbestos waste shall be stored double bagged or wrapped, in sealed, closed and locked containers. Asbestos waste shall not be stored loose in bays and shall not be transferred between different skips or containers. Mechanical equipment, for example loading shovels, chutes and conveyors shall not be used to move asbestos waste. Aerosol canisters shall be securely stored under cover in well-ventilated containers, and within a caged storage area in location shown on the plan Appendix 25 SITE PLAN 2026. No more than 12 cubic metres of aerosol containers shall be stored. Oxidisers shall be securely stored under cover in a bunded cabinet to minimise fire risk and within a caged storage area at the location shown on the plan Appendix 25 SITE PLAN 2026. No more than 110 cubic metres of oxidisers shall be stored.

Table S1.1 activities			
Activity reference	**Activity listed in Schedule 1 of the EP Regulations**	**Description of specified activity and WFD Annex I and II operations**	**Limits of specified activity and waste types**
			WTEE must be stored on level ground and on an impermeable surface provided with sealed drainage. Storage of WTEE shall not exceed a maximum storage height of 3.6 metres. Storage capacity of WTEE shall not exceed 22 tonnes at any one time. Lamps shall be stored in rigid lidded, leakproof and weatherproof containers. The storage capacity for lamps shall not exceed 22 tonnes at any one time. CRT equipment shall be stored in cages, bulk bags or securely on pallets to prevent breakage. The storage capacity for CRT equipment shall not exceed 22 tonnes at any one time. All flat panel display equipment shall be stored in cages, stillages or securely on pallets. Flat panel display equipment which may contain cold cathode fluorescent backlights shall be stored under weatherproof covering. The storage capacity for flat panel display equipment shall not exceed 22 tonnes at any one time. All batteries shall be stored in either appropriate weatherproof containers, or in appropriate containers within a building on an impermeable surface with a sealed drainage system. Lead acid batteries shall be stored upright with terminals taped off or

Table S1.1 activities			
Activity reference	**Activity listed in Schedule 1 of the EP Regulations**	**Description of specified activity and WFD Annex I and II operations**	**Limits of specified activity and waste types**
			capped, in acid proof containers to prevent leaks and short circuits. Nickel metal hydride (Ni-MH) batteries shall be stored in a way that will prevent them being damaged. Li-ion batteries from electric vehicles shall be stored separately from other batteries. Li-ion batteries shall be stored to prevent them from: · • coming into contact with any liquids • being damaged or shorting. • being exposed to high temperatures. WTEE shall not be stored for more than 3 months without prior written approval from the Environment Agency. Batteries shall be stored on site for no longer than 6 months. All other hazardous waste storage pending treatment or transfer shall not exceed 6 months. All waste shall be stored on impermeable surfacing with sealed drainage. Notwithstanding the limits given above where a shorter storage time period is given in an agreed management plan then that time period shall take precedence. No waste types shall be submitted to this activity other than those hazardous wastes specified in Schedule 2, Tables S2.2, S2.3, S2.4.

Table S1.1 activities			
Activity reference	**Activity listed in Schedule 1 of the EP Regulations**	**Description of specified activity and WFD Annex I and II operations**	**Limits of specified activity and waste types**
Directly Associated Activity			
AR7	Electrical power supply	A diesel-powered generator for electricity - net thermal input approximately 0.62 MWth.	Includes receipt of fuel and its storage. No fuel shall be used other than diesel.
AR8	Storage of non-hazardous waste prior to treatment.	Temporary storage of non-hazardous waste. D15 Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced).	From receipt and storage of non-hazardous waste on site to its treatment in activity AR5. The total amount of waste stored on site at any one time, including both hazardous and non-hazardous waste, shall not exceed 670 tonnes. All wastes shall be stored on site for no longer than 6 months. Notwithstanding the limits given above where a shorter storage time period is given in an agreed management plan then that time period shall take precedence. No waste types shall be submitted to this activity other than those wastes specified in Schedule 2, Table S2.5.
AR9	Raw material handling and storage.	Raw material handling and storage.	From receipt and storage to point of use.
AR10	Vehicle washing.	Washing of waste residue from tanker barrels after the delivery of waste.	From the washing of vehicles and tanker barrels in a contained environment and collection and treatment of resulting effluents on-site through the ultrafiltration system. Washing of vehicles shall take place on an impermeable surface with sealed drainage. The minimum amount of water shall be used to wash out tankers to avoid dilution. Washings shall be considered for on-site treatment in accordance with their original waste classification.

Table S1.1 activities			
Activity reference	**Activity listed in Schedule 1 of the EP Regulations**	**Description of specified activity and WFD Annex I and II operations**	**Limits of specified activity and waste types**
AR11	Surface water collection and storage.	Collection and storage of contaminated or uncontaminated site surface water in drainage channel sump.	From the collection of contaminated and uncontaminated site surface water prior to treatment by phase separation and filtration and removal off site or discharge to sewer of resulting effluent.

Table S1.1 activities		
Activity reference	**Description of activities for waste operations**	**Limits of activities**
Waste Operations		
AR12	Repackaging of non-hazardous waste. R12 Exchange of waste for submission to any of the operations numbered R1 to R11 (repackaging). D14 Repackaging prior to submission to any of the operations numbered D1 to D13	Repackaging is limited to: • taking a waste package (for example a bag, jar, drum or box) out of one cart or bulk container (for example a skip) and placing it into another cart or bulk container (for example, a skip); • taking a waste package from a cart or bulk container (for example, skip) and placing it onto a pallet or vehicle; • taking a waste package from a pallet and placing it into a cart or bulk container (for example, skip); • transferring, removing or separating waste from its primary packaging (for example container, bags, bins, boxes). Healthcare waste shall not be transferred, removed or separated from its original packaging. Wastes that are combined together during repackaging activities shall be materially the same and not change the waste's chemical composition or characteristics. Repackaging shall take place in a dedicated area within the sampling/blending & repackaging area on an impermeable surface with sealed drainage. Repackaging of volatile materials shall take place in a dedicated area in a building using local exhaust ventilation (LEV) and abatement on an impermeable surface with sealed drainage. Repackaging of waste shall not change either the maximum storage times for waste on site or the amount that can be stored at any one time. No waste types shall be submitted to this activity other than those non-hazardous wastes specified in Schedule 2, Table S2.6.

Table S1.1 activities		
Activity reference	**Description of activities for waste operations**	**Limits of activities**
AR13	Storage of non-hazardous waste. R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced). D15 Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced).	From receipt and storage of non-hazardous waste on site to its repackaging on site; or its transfer off-site. The total amount of waste stored on site at any one time, including both hazardous and non-hazardous waste, shall not exceed 670 tonnes. Wastes shall be stored at the locations identified on the storage plan reference “Installation storage arrangement”, and in accordance with the volumes detailed in the plan. All waste shall be stored on impermeable surfacing with sealed drainage. Pharmaceutical waste shall be stored securely within designated areas of a building. All batteries shall be stored in either appropriate weatherproof containers, or in appropriate containers within a building on an impermeable surface with a sealed drainage system. Li-ion batteries shall be stored to prevent them from: • coming into contact with any liquids; • being damaged or shorting; • being exposed to high temperatures. Batteries shall be stored on site for no longer than 6 months. All wastes shall be stored on site for no longer than 6 months. Notwithstanding the limits given above where a shorter storage time period is given in an agreed management plan then that time period shall take precedence. No waste types shall be submitted to this activity other than those non-hazardous wastes specified in Schedule 2, Table S2.6.

Table S1.2 Operating techniques		
Description	**Parts**	**Date Received**
Application EPR/YP3832WS/A001	Responses to answers provided in Parts B2, B3 and B4 of the application form and associated documents. Excluding: - OATESB304A: Waste Pre-acceptance - OATESB304B: Waste Acceptance - OATESB306: Summary of Treatment Activities	Duly made 28/09/2015
Response to Schedule 5 Notice dated 05/11/2015	Response to questions 1-7, 9-14, 17, 25 Response to questions 8, 15, 16, 18-24. Excluding: - RD39: Appendix XXXV Fire Risk Assessment - RD40: Auto Extinguishers - RD42: Site Maps (FPP)	23/11/2015 09/12/2015

Table S1.2 Operating techniques		
Description	**Parts**	**Date Received**
	- RD43: Waste Flowcharts - RD44: Infrastructure Site Plan 1 - RD45: Installation Infrastructure 11	
Variation application EPR/YP3832WS/V002	Responses to answers provided in Parts C0.5 of the application form and associated documents.	Duly made 26/05/2016
Further information requested 01/06/2016	Response including revised versions of the following documents: - RD10: Method statement bulk storage liquid - RD31: OATESB306 Summary of treatment activities - RD37: Tanker washout	06/06/2016
Variation application EPR/YP3832WS/V004	- 14.3 Storage of Packaged Waste on Site - Risk Assessment – Storage of waste outside the building – Control Measures only. - Risk Assessment – Firewater containment. - Control measures only	12/06/2020 06/07/2020
Response to request for information dated 31/07/2020	- Holding area and waste bay infrastructure details. - Further waste bay infrastructure details.	03/08/2020 04/08/2020
Variation application EPR/YP3832WS/V005	- Responses to questions in form Part C2, Part C3 and associated supporting information.	04/01/2022
Response to request for information dated 18/01/2023	Details of infrastructure and process for phase separation and ultrafiltration treatment, and treatment by blending or mixing. • Confirmation of pre-acceptance, acceptance, compatibility analysis, and direct authorisation from site chemist prior to blending or mixing of wastes.	19/01/2023

Schedule 5 Notice sent 23/02/2023	• Responses to the following Schedule 5 notice questions and associated supporting documentation:
	  • Removal of two EWC codes for phase separation and ultrafiltration treatment
	  • Demonstration of the intention of the blending or mixing activity
	  • Assessment of facility against Best Available Techniques for Waste Treatment
	  • Assessment of facility against Chemical Waste: Appropriate Measures
	
	• Updated document: Diagram 4 WWTP Flow Chart
		14/03/2023

Response to request for information sent 31/03/2023	• Updated document: Environmental & H&S Site Inspection Form • Updated document: Fire-Watch & Security Inspection	03/04/2023
Response to request for information sent 26/04/2023	• Confirmation of EWC code used to describe contaminated surface water collected in the drainage sump on Yard 2 prior to phase separation and ultrafiltration treatment. • Updated document: Appendix 6 (A) EMS APPENDIX 25 SITE PLAN 2023 v2	28/04/2023

Table S1.2 Operating techniques		
Description	**Parts**	**Date Received**
Response to request for information sent 22/05/2023	• Revised version of document ref.OEL VARIATION2022 DOC1 – Revision 6. • Updated Fire Prevention Plan consisting of the following: • FPP version OATESFPP08 and all appendices	22/05/2023
Chemical waste: appropriate measures for permitted facilities. Version published 18 November 2020.	All parts of the appropriate measures guidance shall apply other than: • those parts to which an improvement programme requirement applies in Table S1.3 (and only until the date that the improvement has been or must be met, whichever is the earlier).	N/A
Healthcare Waste: appropriate measures for permitted facilities. Version published 13 July 2020.	All parts of the appropriate measures guidance shall apply.	N/A
Non-hazardous and inert waste: appropriate measures for permitted facilities. Version published 12 July 2021.	All parts of the appropriate measures guidance shall apply.	N/A
Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities. Version published 13 July 2022.	All parts of the appropriate measures guidance shall apply.	N/A
Waste temperature exchange equipment (WTEE): appropriate measures for permitted facilities. Version published 13 July 2022.	All parts of the appropriate measures guidance shall apply	N/A
Additional information	• Process and activity flow information.	07/07/2025
	• Updated warehouse plan Ref Appendix 6 (B) WAREHOUSE LAYOUT PLAN.	14/08/2025
	• Storage arrangement reference “Installation storage arrangement”.	19/12/2025
Additional information	• Email explaining (BAT) justification for the co-treatment of hazardous and non-hazardous effluent streams for treatment through the ultrafiltration process.	05/02/2026
Additional information	Updated site plan reference: Appendix 25 SITE PLAN 2026	14/04/2026

Table S1.3 Improvement programme requirements		
Reference	**Requirement**	**Date**
IC2 Emissions control procedures	The operator shall review and update their emissions control procedures to ensure that they meet the requirements of the Environment Agency's guidance Chemical waste: appropriate measures for permitted facilities referred to in Table S1.2. Specifically, the operator must demonstrate that the following appropriate measure(s) of the guidance will be met: • You must contain storage tanks, silos and waste treatment plant (including shredders) to make sure you collect, extract and direct all process emissions to an appropriate abatement system for treatment before release (measure 6.1.1). • Where necessary, to prevent fugitive emissions to air from the storage and handling of wastes, you should use a combination of the following measures: - store and handle such wastes within a building or enclosed equipment - keep buildings and equipment under adequate negative pressure with an appropriate abated air circulation or extraction system - where possible, locate air extraction points close to potential emissions sources - use fully enclosed material transfer and storage systems and equipment, for example, conveyors, hoppers, containers, tanks and skips - use fast-acting or 'airlock' doors that default closed - keep building doors and windows shut to provide containment, other than when access is required - minimising drop height - use misting systems and wind barriers to prevent dust (measure 6.2.5). A copy of the updated procedure(s) shall be submitted to the Environment Agency for approval.	05/02/2027
IC3 Updated emissions inventory and H1 risk assessment (Air).	The operator shall submit a written report to the Environment Agency for assessment and written approval as required by section 6.1, and 7.1 of Chemical waste: appropriate measures for permitted facilities. • Measure 6.1.3: "You must assess the fate and impact of the substances emitted to air, following the Environment Agency's risk assessment methodology". • Measure 7.1.1: "Your facility's emissions inventory must include information about the relevant characteristics of point source emissions to air" The report must include: a) the results and conclusions of the emissions monitoring and assessment undertaken in accordance with your emissions inventory. b) A comparison of the monitoring results with the limits listed in Schedule 3, Table S3.1. c) the results and conclusions from an assessment of the environmental impact of the emissions to air using all relevant parameters identified from your emissions	30/04/2027

Table S1.3 Improvement programme requirements		
Reference	**Requirement**	**Date**
	inventory under (a) above. The assessment must be carried out using the Environment Agency's 'H1 Environmental Risk Assessment' tool (or equivalent as agreed with the Environment Agency) and/or modelling as required following our guidance: Air emissions risk assessment for your environmental permit - GOV.UK Where it is concluded that the impact of an emission may be significant or exceeds an environmental standard (e.g. an environmental quality standard EQS) the operator shall: a) Review whether there is a need for emissions limits to be lower than the limits listed in Schedule 3, Table S3.1. in order to prevent exceedance of environmental standards. b) Propose revised emission limits that will prevent exceedance of the environmental standard(s) c) Include proposals for measures to mitigate the emission to meet the relevant emission limit (for example, the provision of additional treatment or abatement) and timescales for the implementation of these measures. The proposals shall be implemented within 6 months of approval of the report or as agreed in writing by the Environment Agency.	
IC4a Enclosure, extraction and collection and/or Abatement system	The operator shall submit a plan to the Environment Agency for approval for the enclosure, extraction, installation, maintenance and operation of an abatement system to reduce emissions of VOCs from the storage and treatment activities (AR1, AR2 and AR5), blending and mixing activity (AR3) and the repackaging activity (AR4). The plan must demonstrate compliance with sections 4, 5 and 6 of Chemical waste: appropriate measures for permitted facilities including measures: • You should vent bulk storage tanks and silos through suitable abatement (measure 4.43). • Where an emission is expected, all treatment or reactor vessels must be enclosed. Only vent them to the atmosphere via an appropriate scrubbing and abatement system (subject to explosion relief) (measure 5.1.10). • You must contain storage tanks, silos and waste treatment plant (including shredders) to make sure you collect, extract and direct all process emissions to an appropriate abatement system for treatment before release (measure 6.1.1). • To reduce point source emissions to air (for example, dust, volatile organic compounds and odour) from the treatment of waste, you must use an appropriate combination of abatement techniques (measure 6.1.4). The plan shall detail: • the design of the abatement system	30/04/2027

Table S1.3 Improvement programme requirements		
Reference	**Requirement**	**Date**
	• the monitoring measures in place for: - optimising and maintaining the operation; - optimising performance of the abatement system; - identifying optimal regeneration or replacement (where applicable) • The timescale for implementation. Where an alternative measure is proposed, the plan must contain: • detailed justification, including a risk assessment and cost/benefit analysis as per our guidance Best available techniques: environmental permits - GOV.UK. The plan shall be implemented in accordance with the Environment Agency's written approval.	
IC4b Abatement system	The agreed abatement system(s) approved under IC4a shall be installed and operated in accordance with the Environment Agency's written approval.	30/07/2027
IC5 Fire Prevention	The operator shall review and resubmit their fire prevention plan to the Environment Agency for approval. The plan shall take into account all appropriate measures for fire prevention specified in the Environment Agency's guidance Chemical waste: appropriate measures for permitted facilities and Fire prevention plans: environmental permits. Once the fire prevention plan has been agreed with the Environment Agency, the installation must be operated in accordance with this management plan.	05/02/2027

Schedule 2 – Waste types, raw materials and fuels

Table S2.1 Raw materials and fuels	
Raw materials and fuel description	**Specification**
–	–

Table S2.2 Permitted waste types and quantities for hazardous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration under activities AR1, AR2.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP2, HP3, HP8, HP9, HP12, HP15, wastes which contain Persistent Organic Pollutants (POPs).
Waste code	**Description**
01	**WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS**
01 04	**wastes from physical and chemical processing of non-metalliferous minerals**
01 04 07*	wastes containing hazardous substances from physical and chemical processing of non-metalliferous minerals
01 05	**drilling muds and other drilling wastes**
01 05 05*	oil-containing drilling muds and wastes
01 05 06*	drilling muds and other drilling wastes containing hazardous substances
02	**WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING**
02 01	**wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing**
02 01 08*	agrochemical waste containing hazardous substances
04	**WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES**
04 02	**wastes from the textile industry**
04 02 16*	dyestuffs and pigments containing hazardous substances
04 02 19*	sludges from on-site effluent treatment containing hazardous substances
05	**WASTES FROM PETROLEUM REFINING, NATURAL GAS PURIFICATION AND PYROLYTIC TREATMENT OF COAL**
05 01	**wastes from petroleum refining**
05 01 03*	tank bottom sludges
05 01 05*	oil spills
05 01 06*	oily sludges from maintenance operations of the plant or equipment
05 01 09*	sludges from on-site effluent treatment containing hazardous substances
06	**WASTES FROM INORGANIC CHEMICAL PROCESSES**
06 03	**wastes from the MFSU of salts and their solutions and metallic oxides**
06 03 13*	solid salts and solutions containing heavy metals
06 05	**sludges from on-site effluent treatment**

Table S2.2 Permitted waste types and quantities for hazardous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration under activities AR1, AR2.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP2, HP3, HP8, HP9, HP12, HP15, wastes which contain Persistent Organic Pollutants (POPs).
Waste code	**Description**
06 05 02*	sludges from on-site effluent treatment containing hazardous substances
07	**WASTES FROM ORGANIC CHEMICAL PROCESSES**
07 01	**wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals**
07 01 01*	aqueous washing liquids and mother liquors
07 01 11*	sludges from on-site effluent treatment containing hazardous substances
07 02	**wastes from the MFSU of plastics, synthetic rubber and man-made fibres**
07 02 11*	sludges from on-site effluent treatment containing hazardous substances
07 03	**wastes from the MFSU of organic dyes and pigments (except 06 11)**
07 03 01*	aqueous washing liquids and mother liquors
07 03 11*	sludges from on-site effluent treatment containing hazardous substances
07 04	**wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides**
07 04 01*	aqueous washing liquids and mother liquors
07 04 11*	sludges from on-site effluent treatment containing hazardous substances
07 05	**wastes from the MFSU of pharmaceuticals**
07 05 01*	aqueous washing liquids and mother liquors
07 05 11*	sludges from on-site effluent treatment containing hazardous substances
07 06	**wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics**
07 06 01*	aqueous washing liquids and mother liquors
07 06 11*	sludges from on-site effluent treatment containing hazardous substances
07 07	**wastes from the MFSU of fine chemicals and chemical products not otherwise specified**
07 07 01*	aqueous washing liquids and mother liquors
07 07 11*	sludges from on-site effluent treatment containing hazardous substances
08	**WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS**
08 01	**wastes from MFSU and removal of paint and varnish**
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents or other hazardous substances
08 01 19*	aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances
08 03	**wastes from MFSU of printing inks**

Table S2.2 Permitted waste types and quantities for hazardous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration under activities AR1, AR2.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP2, HP3, HP8, HP9, HP12, HP15, wastes which contain Persistent Organic Pollutants (POPs).
Waste code	**Description**
08 03 12*	waste ink containing hazardous substances
08 03 14*	ink sludges containing hazardous substances
08 04	**wastes from MFSU of adhesives and sealants (including waterproofing products)**
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
08 04 11*	adhesive and sealant sludges containing organic solvents or other hazardous substances
08 04 13*	aqueous sludges containing adhesives or sealants containing organic solvents or other hazardous substances
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other hazardous substances
09	**WASTES FROM THE PHOTOGRAPHIC INDUSTRY**
09 01	**wastes from the photographic industry**
09 01 01*	water-based developer and activator solutions
09 01 02*	water-based offset plate developer solutions
09 01 04*	fixer solutions
10	**WASTES FROM THERMAL PROCESSES**
10 01	**wastes from power stations and other combustion plants (except 19)**
10 01 20*	sludges from on-site effluent treatment containing hazardous substances
10 01 22*	aqueous sludges from boiler cleansing containing hazardous substances
10 02	**wastes from the iron and steel industry**
10 02 11*	wastes from cooling-water treatment containing oil
10 03	**wastes from aluminium thermal metallurgy**
10 03 27*	wastes from cooling-water treatment containing oil
10 05	**wastes from zinc thermal metallurgy**
10 05 08*	wastes from cooling-water treatment containing oil
10 06	**wastes from copper thermal metallurgy**
10 06 09*	wastes from cooling-water treatment containing oil
10 07	**wastes from silver, gold and platinum thermal metallurgy**
10 07 07*	wastes from cooling-water treatment containing oil
10 08	**wastes from other non-ferrous thermal metallurgy**
10 08 19*	wastes from cooling-water treatment containing oil
11	**WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY**

Table S2.2 Permitted waste types and quantities for hazardous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration under activities AR1, AR2.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP2, HP3, HP8, HP9, HP12, HP15, wastes which contain Persistent Organic Pollutants (POPs).
Waste code	**Description**
11 01	**Wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)**
11 01 11*	aqueous rinsing liquids containing hazardous substances
11 01 13*	degreasing wastes containing hazardous substances
11 01 15*	eluate and sludges from membrane systems or ion exchange systems containing hazardous substances
11 01 98*	other wastes containing hazardous substances
11 02	**wastes from non-ferrous hydrometallurgical processes**
11 02 07*	other wastes containing hazardous substances
12	**WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS**
12 01	**wastes from shaping and physical and mechanical surface treatment of metals and plastics**
12 01 07*	mineral-based machining oils free of halogens (except emulsions and solutions)
12 01 09*	machining emulsions and solutions free of halogens
12 01 10*	synthetic machining oils
12 01 19*	readily biodegradable machining oil
12 03	**wastes from water and steam degreasing processes (except 11)**
12 03 01*	aqueous washing liquids
12 03 02*	steam degreasing wastes
13	**OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)**
13 01	**waste hydraulic oils**
13 01 04*	chlorinated emulsions
13 01 05*	non-chlorinated emulsions
13 01 09*	mineral-based chlorinated hydraulic oils
13 01 10*	mineral based non-chlorinated hydraulic oils
13 01 11*	synthetic hydraulic oils
13 01 12*	readily biodegradable hydraulic oils
13 01 13*	other hydraulic oils
13 02	**waste engine, gear and lubricating oils**
13 02 04*	mineral-based chlorinated engine, gear and lubricating oils
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
13 02 06*	synthetic engine, gear and lubricating oils
13 02 07*	readily biodegradable engine, gear and lubricating oils

Table S2.2 Permitted waste types and quantities for hazardous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration under activities AR1, AR2.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP2, HP3, HP8, HP9, HP12, HP15, wastes which contain Persistent Organic Pollutants (POPs).
Waste code	**Description**
13 02 08*	other engine, gear and lubricating oils
13 03	**waste insulating and heat transmission oils**
13 03 06*	mineral-based chlorinated insulating and heat transmission oils other than those mentioned in 13 03 01
13 03 07*	mineral-based non-chlorinated insulating and heat transmission oils
13 03 08*	synthetic insulating and heat transmission oils
13 03 09*	readily biodegradable insulating and heat transmission oils
13 03 10*	other insulating and heat transmission oils
13 04	**bilge oils**
13 04 01*	bilge oils from inland navigation
13 04 02*	bilge oils from jetty sewers
13 04 03*	bilge oils from other navigation
13 05	**oil/water separator contents**
13 05 01*	solids from grit chambers and oil/water separators
13 05 02*	sludges from oil/water separators
13 05 03*	interceptor sludges
13 05 06*	oil from oil/water separators
13 05 07*	oily water from oil/water separators
13 05 08*	mixtures of wastes from grit chambers and oil/water separators
13 07	**wastes of liquid fuels**
13 07 01*	fuel oil and diesel
13 08	**oil wastes not otherwise specified**
13 08 01*	desalter sludges or emulsions
13 08 02*	other emulsions
16	**WASTES NOT OTHERWISE SPECIFIED IN THE LIST**
16 01	**end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)**
16 01 14*	antifreeze fluids containing hazardous substances
16 03	**off-specification batches and unused products**
16 03 03*	inorganic wastes containing hazardous substances
16 03 05*	organic wastes containing hazardous substances
16 05	**gases in pressure containers and discarded chemicals**
16 05 07*	discarded inorganic chemicals consisting of or containing hazardous substances

Table S2.2 Permitted waste types and quantities for hazardous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration under activities AR1, AR2.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP2, HP3, HP8, HP9, HP12, HP15, wastes which contain Persistent Organic Pollutants (POPs).
Waste code	**Description**
16 05 08*	discarded organic chemicals consisting of or containing hazardous substances
16 07	**wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)**
16 07 08*	wastes containing oil
16 07 09*	wastes containing other hazardous substances
16 10	**aqueous liquid wastes destined for off-site treatment**
16 10 01*	aqueous liquid wastes containing hazardous substances
16 10 03*	aqueous concentrates containing hazardous substances
19	**WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE**
19 01	**wastes from incineration or pyrolysis of waste**
19 01 06*	aqueous liquid wastes from gas treatment and other aqueous liquid wastes
19 02	**wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)**
19 02 04*	premixed wastes composed of at least one hazardous waste
19 02 05*	sludges from physico/chemical treatment containing hazardous substances
19 02 07*	oil and concentrates from separation
19 02 11*	other wastes containing hazardous substances
19 07	**landfill leachate**
19 07 02*	landfill leachate containing hazardous substances
19 08	**wastes from waste water treatment plants not otherwise specified**
19 08 08*	membrane system waste containing heavy metals
19 08 10*	grease and oil mixture from oil/water separation other than those mentioned in 19 08 09
19 08 11*	sludges containing hazardous substances from biological treatment of industrial waste water
19 08 13*	sludges containing hazardous substances from other treatment of industrial waste water
19 11	**wastes from oil regeneration**
19 11 03*	aqueous liquid wastes
19 11 05*	sludges from on-site effluent treatment containing hazardous substances
19 13	**wastes from soil and groundwater remediation**
19 13 05*	sludges from groundwater remediation containing hazardous substances
19 13 07*	aqueous liquid wastes and aqueous concentrates from groundwater remediation containing hazardous substances

Table S2.2 Permitted waste types and quantities for hazardous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration under activities AR1, AR2.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP2, HP3, HP8, HP9, HP12, HP15, wastes which contain Persistent Organic Pollutants (POPs).
Waste code	**Description**
20	**MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS**
20 01	**separately collected fractions (except 15 01)**
20 01 26*	oil and fat other than those mentioned in 20 01 25
20 01 27*	paint, inks, adhesives and resins containing hazardous substances

Table S2.3 Permitted waste types and quantities for blending or mixing of hazardous waste by activity AR3.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
07	**WASTES FROM ORGANIC CHEMICAL PROCESSES**
07 01	**wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals**
07 01 01*	aqueous washing liquids and mother liquors
07 01 03*	organic halogenated solvents, washing liquids and mother liquors
07 01 04*	other organic solvents, washing liquids and mother liquors
07 01 07*	halogenated still bottoms and reaction residues
07 01 08*	other still bottoms and reaction residues
07 02	**wastes from the MFSU of plastics, synthetic rubber and man-made fibres**
07 02 01*	aqueous washing liquids and mother liquors
07 02 03*	organic halogenated solvents, washing liquids and mother liquors
07 02 04*	other organic solvents, washing liquids and mother liquors
07 02 07*	halogenated still bottoms and reaction residues
07 02 08*	other still bottoms and reaction residues
07 02 14*	wastes from additives containing hazardous substances
07 03	**wastes from the MFSU of organic dyes and pigments (except 06 11)**
07 03 01*	aqueous washing liquids and mother liquors
07 03 03*	organic halogenated solvents, washing liquids and mother liquors
07 03 04*	other organic solvents, washing liquids and mother liquors
07 03 07*	halogenated still bottoms and reaction residues

Table S2.3 Permitted waste types and quantities for blending or mixing of hazardous waste by activity AR3.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
07 03 08*	other still bottoms and reaction residues
07 04	**wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides**
07 04 01*	aqueous washing liquids and mother liquors
07 04 03*	organic halogenated solvents, washing liquids and mother liquors
07 04 04*	other organic solvents, washing liquids and mother liquors
07 04 07*	halogenated still bottoms and reaction residues
07 04 08*	other still bottoms and reaction residues
07 05	**wastes from the MFSU of pharmaceuticals**
07 05 01*	aqueous washing liquids and mother liquors
07 05 03*	organic halogenated solvents, washing liquids and mother liquors
07 05 04*	other organic solvents, washing liquids and mother liquors
07 05 07*	halogenated still bottoms and reaction residues
07 05 08*	other still bottoms and reaction residues
07 06	**wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics**
07 06 01*	aqueous washing liquids and mother liquors
07 06 03*	organic halogenated solvents, washing liquids and mother liquors
07 06 04*	other organic solvents, washing liquids and mother liquors
07 06 07*	halogenated still bottoms and reaction residues
07 06 08*	other still bottoms and reaction residues
07 06 09*	halogenated filter cakes and spent absorbents
07 07	**wastes from the MFSU of fine chemicals and chemical products not otherwise specified**
07 07 01*	aqueous washing liquids and mother liquors
07 07 03*	organic halogenated solvents, washing liquids and mother liquors
07 07 04*	other organic solvents, washing liquids and mother liquors
07 07 07*	halogenated still bottoms and reaction residues
07 07 08*	other still bottoms and reaction residues
08	**WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS**
08 01	**wastes from MFSU and removal of paint and varnish**
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances

Table S2.3 Permitted waste types and quantities for blending or mixing of hazardous waste by activity AR3.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
08 01 17*	wastes from paint or varnish removal containing organic solvents or other hazardous substances
08 01 19*	aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances
08 01 21*	waste paint or varnish remover
08 03	**wastes from MFSU of printing inks**
08 03 12*	waste ink containing hazardous substances
08 03 14*	ink sludges containing hazardous substances
08 03 16*	waste etching solutions
08 03 17*	waste printing toner containing hazardous substances
08 03 19*	disperse oil
08 04	**wastes from MFSU of adhesives and sealants (including waterproofing products)**
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other hazardous substances
08 04 17*	rosin oil
09	**WASTES FROM THE PHOTOGRAPHIC INDUSTRY**
09 01	**wastes from the photographic industry**
09 01 01*	water-based developer and activator solutions
09 01 02*	water-based offset plate developer solutions
09 01 03*	solvent-based developer solutions
09 01 04*	fixer solutions
10	**WASTES FROM THERMAL PROCESSES**
10 02	**wastes from the iron and steel industry**
10 02 11*	wastes from cooling-water treatment containing oil
10 03	**wastes from aluminium thermal metallurgy**
10 03 27*	wastes from cooling-water treatment containing oil
10 05	**wastes from zinc thermal metallurgy**
10 05 08*	wastes from cooling-water treatment containing oil
10 06	**wastes from copper thermal metallurgy**
10 06 09*	wastes from cooling-water treatment containing oil
10 07	**wastes from silver, gold and platinum thermal metallurgy**
10 07 07*	wastes from cooling-water treatment containing oil

Table S2.3 Permitted waste types and quantities for blending or mixing of hazardous waste by activity AR3.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
10 08	**wastes from other non-ferrous thermal metallurgy**
10 08 19*	wastes from cooling-water treatment containing oil
10 09	**wastes from casting of ferrous pieces**
10 09 15*	waste crack-indicating agent containing hazardous substances
10 10	**wastes from casting of non-ferrous pieces**
10 10 15*	waste crack-indicating agent containing hazardous substances
11	**WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDROMETALLURGY**
11 01	**wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)**
11 01 11*	aqueous rinsing liquids containing hazardous substances
11 01 13*	degreasing wastes containing hazardous substances
11 01 98*	other wastes containing hazardous substances
11 02	**wastes from non-ferrous hydrometallurgical processes**
11 02 07*	other wastes containing hazardous substances
11 03	**sludges and solids from tempering processes**
11 03 02*	other waste
12	**WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS**
12 01	**wastes from shaping and physical and mechanical surface treatment of metals and plastics**
12 01 06*	mineral-based machining oils containing halogens (except emulsions and solutions)
12 01 07*	mineral-based machining oils free of halogens (except emulsions and solutions)
12 01 08*	machining emulsions and solutions containing halogens
12 01 09*	machining emulsions and solutions free of halogens
12 01 10*	synthetic machining oils
12 01 12*	spent waxes and fats
12 01 19*	readily biodegradable machining oil
12 03	**wastes from water and steam degreasing processes (except 11)**
12 03 01*	aqueous washing liquids
12 03 02*	steam degreasing wastes
13	**OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)**
13 01	**waste hydraulic oils**

Table S2.3 Permitted waste types and quantities for blending or mixing of hazardous waste by activity AR3.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
13 01 04*	chlorinated emulsions
13 01 05*	non-chlorinated emulsions
13 01 09*	mineral-based chlorinated hydraulic oils
13 01 10*	mineral based non-chlorinated hydraulic oils
13 01 11*	synthetic hydraulic oils
13 01 12*	readily biodegradable hydraulic oils
13 01 13*	other hydraulic oils
13 02	**waste engine, gear and lubricating oils**
13 02 04*	mineral-based chlorinated engine, gear and lubricating oils
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
13 02 06*	synthetic engine, gear and lubricating oils
13 02 07*	readily biodegradable engine, gear and lubricating oils
13 02 08*	other engine, gear and lubricating oils
13 03	**waste insulating and heat transmission oils**
13 03 06*	mineral-based chlorinated insulating and heat transmission oils other than those mentioned in 13 03 01
13 03 07*	mineral-based non-chlorinated insulating and heat transmission oils
13 03 08*	synthetic insulating and heat transmission oils
13 03 09*	readily biodegradable insulating and heat transmission oils
13 03 10*	other insulating and heat transmission oils
13 04	**bilge oils**
13 04 01*	bilge oils from inland navigation
13 04 02*	bilge oils from jetty sewers
13 04 03*	bilge oils from other navigation
13 05	**oil/water separator contents**
13 05 06*	oil from oil/water separators
13 05 07*	oily water from oil/water separators
13 05 08*	mixtures of wastes from grit chambers and oil/water separators
13 07	**wastes of liquid fuels**
13 07 01*	fuel oil and diesel
13 07 03*	other fuels (including mixtures)
13 08	**oil wastes not otherwise specified**
13 08 02*	other emulsions

Table S2.3 Permitted waste types and quantities for blending or mixing of hazardous waste by activity AR3.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
14	**WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08)**
14 06	**waste organic solvents, refrigerants and foam/aerosol propellants**
14 06 02*	other halogenated solvents and solvent mixtures
14 06 03*	other solvents and solvent mixtures
16	**WASTES NOT OTHERWISE SPECIFIED IN THE LIST**
16 01	**end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)**
16 01 13*	brake fluids
16 01 14*	antifreeze fluids containing hazardous substances
16 03	**off-specification batches and unused products**
16 03 03*	inorganic wastes containing hazardous substances
16 03 05*	organic wastes containing hazardous substances
16 05	**gases in pressure containers and discarded chemicals**
16 05 06*	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals
16 05 07*	discarded inorganic chemicals consisting of or containing hazardous substances
16 05 08*	discarded organic chemicals consisting of or containing hazardous substances
16 06	**batteries and accumulators**
16 06 06*	separately collected electrolyte from batteries and accumulators
16 07	**wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)**
16 07 08*	wastes containing oil
16 07 09*	wastes containing other hazardous substances
16 08	**spent catalysts**
16 08 06*	spent liquids used as catalysts
16 10	**aqueous liquid wastes destined for off-site treatment**
16 10 01*	aqueous liquid wastes containing hazardous substances
16 10 03*	aqueous concentrates containing hazardous substances
18	**WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)**
18 01	**wastes from natal care, diagnosis, treatment or prevention of disease in humans**
18 01 06*	chemicals consisting of or containing hazardous substances

Table S2.3 Permitted waste types and quantities for blending or mixing of hazardous waste by activity AR3.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
19	**WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE**
19 02	**wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)**
19 02 04*	premixed wastes composed of at least one hazardous waste
19 02 07*	oil and concentrates from separation
19 02 08*	liquid combustible wastes containing hazardous substances
19 02 11*	other wastes containing hazardous substances
19 03	**stabilised/solidified wastes**
19 03 04*	wastes marked as hazardous, partly stabilised other than 19 03 08
19 07	**landfill leachate**
19 07 02*	landfill leachate containing hazardous substances
19 08	**wastes from waste water treatment plants not otherwise specified**
19 08 10*	grease and oil mixture from oil/water separation other than those mentioned in 19 08 09
19 11	**wastes from oil regeneration**
19 11 03*	aqueous liquid wastes
19 11 04*	wastes from cleaning of fuel with bases
19 13	**wastes from soil and groundwater remediation**
19 13 07*	aqueous liquid wastes and aqueous concentrates from groundwater remediation containing hazardous substances
20	**MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS**
20 01	**separately collected fractions (except 15 01)**
20 01 13*	solvents
20 01 17*	photochemicals
20 01 19*	pesticides
20 01 26*	oil and fat other than those mentioned in 20 01 25
20 01 27*	paint, inks, adhesives and resins containing hazardous substances
20 01 29*	detergents containing hazardous substances

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
01	**WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS**
01 03	**wastes from physical and chemical processing of metalliferous minerals**
01 03 07*	other wastes containing hazardous substances from physical and chemical processing of metalliferous minerals
01 04	**wastes from physical and chemical processing of non-metalliferous minerals**
01 04 07*	wastes containing hazardous substances from physical and chemical processing of non-metalliferous minerals
01 05	**drilling muds and other drilling wastes**
01 05 05*	oil-containing drilling muds and wastes
01 05 06*	drilling muds and other drilling wastes containing hazardous substances
02	**WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING**
02 01	**wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing**
02 01 08*	agrochemical waste containing hazardous substances
03	**WASTES FROM WOOD PROCESSING AND THE PRODUCTION OF PANELS AND FURNITURE, PULP, PAPER AND CARDBOARD**
03 01	**wastes from wood processing and the production of panels and furniture**
03 01 04*	sawdust, shavings, cuttings, wood, particle board and veneer containing hazardous substances
03 02	**wastes from wood preservation**
03 02 01*	non-halogenated organic wood preservatives
03 02 02*	organochlorinated wood preservatives
03 02 03*	organometallic wood preservatives
03 02 04*	inorganic wood preservatives
03 02 05*	other wood preservatives containing hazardous substances
04	**WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES**
04 01	**wastes from the leather and fur industry**
04 01 03*	degreasing wastes containing solvents without a liquid phase
04 02	**wastes from the textile industry**
04 02 14*	wastes from finishing containing organic solvents
04 02 16*	dyestuffs and pigments containing hazardous substances
04 02 19*	sludges from on-site effluent treatment containing hazardous substances
05	**WASTES FROM PETROLEUM REFINING, NATURAL GAS PURIFICATION AND PYROLYTIC TREATMENT OF COAL**
05 01	**wastes from petroleum refining**
05 01 03*	tank bottom sludges

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
05 01 04*	acid alkyl sludges
05 01 05*	oil spills
05 01 06*	oily sludges from maintenance operations of the plant or equipment
05 01 09*	sludges from on-site effluent treatment containing hazardous substances
05 01 11*	wastes from cleaning of fuels with bases
05 01 12*	oil containing acids
05 06	**wastes from the pyrolytic treatment of coal**
05 06 01*	acid tars
05 06 03*	other tars
05 07	**wastes from the natural gas purification and transportation**
05 07 01*	wastes containing mercury
06	**WASTES FROM INORGANIC CHEMICAL PROCESSES**
06 01	**wastes from the manufacture, formulation, supply and use (MFSU) of acids**
06 01 01*	sulphuric acid and sulphurous acid
06 01 02*	hydrochloric acid
06 01 03*	hydrofluoric acid
06 01 04*	phosphoric and phosphorous acid
06 01 05*	nitric acid and nitrous acid
06 01 06*	other acids
06 02	**wastes from the MFSU of bases**
06 02 01*	calcium hydroxide
06 02 03*	ammonium hydroxide
06 02 04*	sodium and potassium hydroxide
06 02 05*	other bases
06 03	**wastes from the MFSU of salts and their solutions and metallic oxides**
06 03 13*	solid salts and solutions containing heavy metals
06 04	**metal-containing wastes other than those mentioned in 06 03**
06 04 03*	wastes containing arsenic
06 04 04*	wastes containing mercury
06 04 05*	wastes containing other heavy metals
06 05	**sludges from on-site effluent treatment**
06 05 02*	sludges from on-site effluent treatment containing hazardous substances
06 06	**wastes from the MFSU of sulphur chemicals, sulphur chemical processes and desulphurisation processes**

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
06 06 02*	wastes containing hazardous sulphides
06 07	**wastes from the MFSU of halogens and halogen chemical processes**
06 07 04*	solutions and acids, for example contact acid
06 08	**wastes from the MFSU of silicon and silicon derivatives**
06 08 02*	wastes containing hazardous chlorosilanes
06 09	**wastes from the MFSU of phosphorous chemicals and phosphorous chemical processes**
06 09 03*	calcium-based reaction wastes containing or contaminated with hazardous substances
06 10	**wastes from the MFSU of nitrogen chemicals, nitrogen chemical processes and fertiliser manufacture**
06 10 02*	wastes containing hazardous substances
06 13	**wastes from inorganic chemical processes not otherwise specified**
06 13 01*	inorganic plant protection products, wood-preserving agents and other biocides.
06 13 02*	spent activated carbon (except 06 07 02)
06 13 05*	soot
07	**WASTES FROM ORGANIC CHEMICAL PROCESSES**
07 01	**wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals**
07 01 01*	aqueous washing liquids and mother liquors
07 01 03*	organic halogenated solvents, washing liquids and mother liquors
07 01 04*	other organic solvents, washing liquids and mother liquors
07 01 07*	halogenated still bottoms and reaction residues
07 01 08*	other still bottoms and reaction residues
07 01 09*	halogenated filter cakes and spent absorbents
07 01 10*	other filter cakes and spent absorbents
07 01 11*	sludges from on-site effluent treatment containing hazardous substances
07 02	**wastes from the MFSU of plastics, synthetic rubber and man-made fibres**
07 02 01*	aqueous washing liquids and mother liquors
07 02 03*	organic halogenated solvents, washing and mother liquors
07 02 04*	other organic solvents, washing liquids and mother liquors
07 02 07*	halogenated still bottoms and reaction residues
07 02 08*	other still bottoms and reaction residues
07 02 09*	halogenated filter cakes and spent absorbents
07 02 10*	other filter cakes and spent absorbents
07 02 11*	sludges from on-site effluent treatment containing hazardous substances

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
07 02 14*	wastes from additives containing hazardous substances
07 02 16*	wastes containing hazardous silicones
07 03	**wastes from the MFSU of organic dyes and pigments (except 06 11)**
07 03 01*	aqueous washing liquids and mother liquors
07 03 03*	organic halogenated solvents, washing liquids and mother liquors
07 03 04*	other organic solvents, washing liquids and mother liquors
07 03 07*	halogenated still bottoms and reaction residues
07 03 08*	other still bottoms and reaction residues
07 03 09*	halogenated filter cakes and spent absorbents
07 03 10*	other filter cakes and spent absorbents
07 03 11*	sludges from on-site effluent treatment containing hazardous substances
07 04	**wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides**
07 04 01*	aqueous washing liquids and mother liquors
07 04 03*	organic halogenated solvents, washing liquids and mother liquors
07 04 04*	other organic solvents, washing liquids and mother liquors
07 04 07*	halogenated still bottoms and reaction residues
07 04 08*	other still bottoms and reaction residues
07 04 09*	halogenated filter cakes and spent absorbents
07 04 10*	other filter cakes and spent absorbents
07 04 11*	sludges from on-site effluent treatment containing hazardous substances
07 04 13*	solid wastes containing hazardous substances
07 05	**wastes from the MFSU of pharmaceuticals**
07 05 01*	aqueous washing liquids and mother liquors
07 05 03*	organic halogenated solvents, washing liquids and mother liquors
07 05 04*	other organic solvents, washing liquids and mother liquors
07 05 07*	halogenated still bottoms and reaction residues
07 05 08*	other still bottoms and reaction residues
07 05 09*	halogenated filter cakes and spent absorbents
07 05 10*	other filter cakes and spent absorbents
07 05 11*	sludges from on-site effluent treatment containing hazardous substances
07 05 13*	solid wastes containing hazardous substances
07 06	**wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics**
07 06 01*	aqueous washing liquids and mother liquors

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
07 06 03*	organic halogenated solvents, washing liquids and mother liquors
07 06 04*	other organic solvents, washing liquids and mother liquors
07 06 07*	halogenated still bottoms and reaction residues
07 06 08*	other still bottoms and reaction residues
07 06 09*	halogenated still bottoms and spent absorbents
07 06 10*	other filter cakes and spent absorbents
07 06 11*	sludges from on-site effluent treatment containing hazardous substances
07 07	**wastes from the MFSU of fine chemicals and chemical products not otherwise specified**
07 07 01*	aqueous washing liquids and mother liquors
07 07 03*	organic halogenated solvents, washing liquids and mother liquors
07 07 04*	other organic solvents, washing liquids and mother liquors
07 07 07*	halogenated still bottoms and reaction residues
07 07 08*	other still bottoms and reaction residues
07 07 09*	halogenated filter cakes and spent absorbents
07 07 10*	other filter cakes and spent absorbents
07 07 11*	sludges from on-site effluent treatment containing hazardous substances
08	**WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS**
08 01	**wastes from MFSU and removal of paint and varnish**
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
08 01 13*	sludges from paint or varnish containing organic solvents or other hazardous substances
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents and other hazardous substances
08 01 17*	wastes from paint or varnish removal containing organic solvents or other hazardous substances
08 01 19*	aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances
08 01 21*	waste paint or varnish remover
08 03	**wastes from MFSU of printing inks**
08 03 12*	waste ink containing hazardous substances
08 03 14*	ink sludges containing hazardous substances
08 03 16*	waste etching solutions
08 03 17*	waste printing toner containing hazardous substances
08 03 19*	disperse oil

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
08 04	**wastes from MFSU of adhesives and sealants (including waterproofing products)**
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
08 04 11*	adhesive and sealant sludges containing organic solvents or other hazardous substances
08 04 13*	aqueous sludges containing adhesives or sealants containing organic solvents or other hazardous substances
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other hazardous substances
08 04 17*	rosin oil
08 05	**wastes not otherwise specified in 08**
08 05 01*	waste isocyanates
09	**WASTES FROM THE PHOTOGRAPHIC INDUSTRY**
09 01	**wastes from the photographic industry**
09 01 01*	water-based developer and activator solutions
09 01 02*	water-based offset plate developer solutions
09 01 03*	solvent based developer solutions
09 01 04*	fixer solutions
09 01 05*	bleach solutions and bleach fixer solutions
09 01 06*	wastes containing silver from on-site treatment of photographic wastes
09 01 11*	single use cameras containing batteries included in 16 06 01, 16 06 02 or 16 06 03
09 01 13*	aqueous liquid waste from on-site reclamation of silver other than those mentioned in 09 01 06
10	**WASTES FROM THERMAL PROCESSES**
10 01	**wastes from power stations and other combustion plants (except 19)**
10 01 04*	oil fly ash and boiler dust
10 01 09*	sulphuric acid
10 01 20*	sludges from on-site effluent treatment containing hazardous substances
10 01 22*	aqueous sludges from boiler cleansing containing hazardous substances
10 02	**wastes from the iron and steel industry**
10 02 11*	wastes from cooling-water treatment containing oil
10 02 13*	sludges and filter cakes from gas treatment containing hazardous substances
10 03	**wastes from aluminium thermal metallurgy**
10 03 25*	sludges and filter cakes from gas treatment containing hazardous substances
10 03 27*	wastes from cooling-water treatment containing oil
10 05	**wastes from zinc thermal metallurgy**

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
10 05 08*	wastes from cooling-water treatment containing oil
10 06	**wastes from copper thermal metallurgy**
10 06 07*	sludges and filter cakes from gas treatment
10 06 09*	wastes from cooling-water treatment containing oil
10 07	**wastes from silver, gold and platinum thermal metallurgy**
10 07 07*	wastes from cooling-water treatment containing oil
10 08	**wastes from other non-ferrous thermal metallurgy**
10 08 15*	Flue-gas dust containing hazardous substances
10 08 19*	wastes from cooling-water treatment containing oil
10 09	**wastes from casting of ferrous pieces**
10 09 05*	casting cores and moulds which have not undergone pouring containing hazardous substances
10 09 07*	casting cores and moulds which have undergone pouring containing hazardous substances
10 09 15*	waste crack-indicating agent containing hazardous substances
10 10	**wastes from casting of non-ferrous pieces**
10 10 05*	casting cores and moulds which have not undergone pouring, containing hazardous substances
10 10 07*	casting cores and moulds which have undergone pouring, containing hazardous substances
10 10 15*	waste crack-indicating agent containing hazardous substances
10 11	**wastes from manufacture of glass and glass products**
10 11 11*	waste glass in small particles and glass powder containing heavy metals (for example from cathode ray tubes)
10 11 13*	glass polishing and grinding sludge containing hazardous substances
10 11 19*	solid wastes from on-site effluent treatment containing hazardous substances
10 12	**wastes from manufacture of ceramic goods, bricks, tiles and construction products**
10 12 09*	solid wastes from gas treatment containing hazardous substances
10 12 11*	wastes from glazing containing heavy metals
11	**WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY**
11 01	**Wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)**
11 01 05*	pickling acids
11 01 06*	acids not otherwise specified

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
11 01 07*	pickling bases
11 01 08*	phosphatising sludges
11 01 09*	sludges and filter cakes containing hazardous substances
11 01 11*	aqueous rinsing liquids containing hazardous substances
11 01 13*	degreasing wastes containing hazardous substances
11 01 15*	eluate and sludges from membrane systems or ion exchange systems containing hazardous substances
11 01 98*	other wastes containing hazardous substances
11 02	**wastes from non-ferrous hydrometallurgical processes**
11 02 07*	other wastes containing hazardous substances
11 03	**sludges and solids from tempering processes**
11 03 02*	other waste
11 05	**wastes from hot galvanising processes**
11 05 04*	spent flux
12	**WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS**
12 01	**wastes from shaping and physical and mechanical surface treatment of metals and plastics**
12 01 06*	mineral-based machining oils containing halogens (except emulsions and solutions)
12 01 07*	mineral-based machining oils free of halogens (except emulsions and solutions)
12 01 08*	machining emulsions and solutions containing halogens
12 01 09*	machining emulsions and solutions free of halogens
12 01 10*	synthetic machining oils
12 01 12*	spent waxes and fats
12 01 14*	machining sludges containing hazardous substances
12 01 16*	waste blasting material containing hazardous substances
12 01 18*	metal sludge (grinding, honing and lapping sludge) containing oil
12 01 19*	readily biodegradable machining oil
12 01 20*	spent grinding bodies and grinding materials containing hazardous substances
12 03	**wastes from water and steam degreasing processes (except 11)**
12 03 01*	aqueous washing liquids
12 03 02*	steam degreasing wastes
13	**OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)**
13 01	**waste hydraulic oils**

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
13 01 04*	chlorinated emulsions
13 01 05*	non-chlorinated emulsions
13 01 09*	mineral-based chlorinated hydraulic oils
13 01 10*	mineral based non-chlorinated hydraulic oils
13 01 11*	synthetic hydraulic oils
13 01 12*	readily biodegradable hydraulic oils
13 01 13*	other hydraulic oils
13 02	**waste engine, gear and lubricating oils**
13 02 04*	mineral-based chlorinated engine, gear and lubricating oils
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
13 02 06*	synthetic engine, gear and lubricating oils
13 02 07*	readily biodegradable engine, gear and lubricating oils
13 02 08*	other engine, gear and lubricating oils
13 03	**waste insulating and heat transmission oils**
13 03 01*	insulating or heat transmission oils containing PCBs
13 03 06*	mineral-based chlorinated insulating and heat transmission oils other than those mentioned in 13 03 01
13 03 07*	mineral-based non-chlorinated insulating and heat transmission oils
13 03 08*	synthetic insulating and heat transmission oils
13 03 09*	readily biodegradable insulating and heat transmission oils
13 03 10*	other insulating and heat transmission oils
13 04	**bilge oils**
13 04 01*	bilge oils from inland navigation
13 04 02*	bilge oils from jetty sewers
13 04 03*	bilge oils from other navigation
13 05	**oil/water separator contents**
13 05 01*	solids from grit chambers and oil/water separators
13 05 02*	sludges from oil/water separators
13 05 03*	interceptor sludges
13 05 06*	oil from oil/water separators
13 05 07*	oily water from oil/water separators
13 05 08*	mixtures of wastes from grit chambers and oil/water separators
13 07	**wastes of liquid fuels**
13 07 01*	fuel oil and diesel

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
13 07 03*	other fuels (including mixtures)
13 08	**oil wastes not otherwise specified**
13 08 01*	desalter sludges or emulsions
13 08 02*	other emulsions
14	**WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08)**
14 06	**waste organic solvents, refrigerants and foam/aerosol propellants**
14 06 01*	chlorofluorocarbons, HCFC, HFC
14 06 02*	other halogenated solvents and solvent mixtures
14 06 03*	other solvents and solvent mixtures
14 06 04*	sludges or solid wastes containing halogenated solvents
14 06 05*	sludges or solid wastes containing other solvents
15	**WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED**
15 01	**packaging (including separately collected municipal packaging waste)**
15 01 10*	packaging containing residues of or contaminated by hazardous substances
15 01 11*	metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers
15 02	**absorbents, filter materials, wiping cloths and protective clothing**
15 02 02*	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances
16	**WASTES NOT OTHERWISE SPECIFIED IN THE LIST**
16 01	**end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)**
16 01 07*	oil filters
16 01 11*	brake pads containing asbestos
16 01 13*	brake fluids
16 01 14*	antifreeze fluids containing hazardous substances
16 01 21*	hazardous components other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14
16 02	**wastes from electrical and electronic equipment**
16 02 09*	transformers and capacitors containing PCBs
16 02 10*	discarded equipment containing or contaminated by PCBs other than those mentioned in 16 02 09
16 02 11*	discarded equipment containing chlorofluorocarbons, HCFC, HFC
16 02 12*	discarded equipment containing free asbestos

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
16 02 13*	discarded equipment containing hazardous components other than those mentioned in 16 02 09 to 16 02 12
16 02 15*	hazardous components removed from discarded equipment
16 03	**off-specification batches and unused products**
16 03 03*	inorganic wastes containing hazardous substances
16 03 05*	organic wastes containing hazardous substances
16 05	**gases in pressure containers and discarded chemicals**
16 05 04*	gases in pressure containers (including halons) containing hazardous substances
16 05 06*	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals
16 05 07*	discarded inorganic chemicals consisting of or containing hazardous substances
16 05 08*	discarded organic chemicals consisting of or containing hazardous substances
16 06	**batteries and accumulators**
16 06 01*	lead batteries
16 06 02*	Ni-Cd batteries
16 06 03*	mercury-containing batteries
16 06 06*	separately collected electrolyte from batteries and accumulators
16 07	**wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)**
16 07 08*	wastes containing oil
16 07 09*	wastes containing other hazardous substances
16 08	**spent catalysts**
16 08 06*	spent liquids used as catalysts
16 09	**oxidising substances**
16 09 01*	permanganates, for example potassium permanganate
16 09 02*	chromates, for example potassium chromate, potassium or sodium dichromate
16 09 03*	peroxides, for example hydrogen peroxide
16 09 04*	oxidising substances, not otherwise specified
16 10	**aqueous liquid wastes destined for off-site treatment**
16 10 01*	aqueous liquid wastes containing hazardous substances
16 10 03*	aqueous concentrates containing hazardous substances
16 11	**waste linings and refractories**
16 11 01*	carbon-based linings and refractories from metallurgical processes containing hazardous substances
16 11 03*	other linings and refractories from metallurgical processes containing hazardous substances

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
16 11 05*	linings and refractories from non-metallurgical processes containing hazardous substances
17	**CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)**
17 01	**concrete, bricks, tiles and ceramics**
17 01 06*	mixtures of, or separate fractions of concrete, bricks, tiles and ceramics containing hazardous substances
17 02	**wood, glass and plastic**
17 02 04*	glass, plastic and wood containing or contaminated with hazardous substances
17 03	**bituminous mixtures, coal tar and tarred products**
17 03 01*	bituminous mixtures containing coal tar
17 03 03*	coal tar and tarred products
17 04	**metals (including their alloys)**
17 04 09*	metal waste contaminated with hazardous substances
17 04 10*	cables containing oil, coal tar and other hazardous substances
17 05	**soil (including excavated soil from contaminated sites), stones and dredging spoil**
17 05 03*	soil and stones containing hazardous substances
17 05 07*	track ballast containing hazardous substances
17 06	**insulation materials and asbestos-containing construction materials**
17 06 01*	insulation materials containing asbestos
17 06 03*	other insulation materials consisting of or containing hazardous substances
17 06 05*	construction materials containing asbestos
17 08	**gypsum-based construction material**
17 08 01*	gypsum-based construction materials contaminated with hazardous substances
17 09	**other construction and demolition wastes**
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances
18	**WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)**
18 01	**wastes from natal care, diagnosis, treatment or prevention of disease in humans**
18 01 06*	chemicals consisting of or containing hazardous substances
18 01 10*	amalgam waste from dental care
19	**WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE**

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
19 01	**wastes from incineration or pyrolysis of waste**
19 01 06*	aqueous liquid wastes from gas treatment and other aqueous liquid wastes
19 01 07*	solid wastes from gas treatment
19 01 10*	spent activated carbon from flue-gas treatment
19 02	**wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)**
19 02 04*	premixed wastes composed of at least one hazardous waste
19 02 05*	sludges from physico/chemical treatment containing hazardous substances
19 02 07*	oil and concentrates from separation
19 02 08*	liquid combustible wastes containing hazardous substances
19 02 11*	other wastes containing hazardous substances
19 03	**stabilised/solidified wastes**
19 03 04*	wastes marked as hazardous, partly stabilised other than 19 03 08
19 03 06*	wastes marked as hazardous, solidified
19 07	**landfill leachate**
19 07 02*	landfill leachate containing hazardous substances
19 08	**wastes from waste water treatment plants not otherwise specified**
19 08 08*	membrane system waste containing heavy metals
19 08 10*	grease and oil mixture from oil/water separation other than those mentioned in 19 08 09
19 08 11*	sludges containing hazardous substances from biological treatment of industrial waste water
19 08 13*	sludges containing hazardous substances from other treatment of industrial waste water
19 11	**wastes from oil regeneration**
19 11 01*	spent filter clays
19 11 02*	acid tars
19 11 03*	aqueous liquid wastes
19 11 04*	wastes from cleaning of fuel with bases
19 11 05*	sludges from on-site effluent treatment containing hazardous substances
19 12	**wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified**
19 12 06*	wood containing hazardous substances
19 12 11*	other wastes (limited to hazardous oil-contaminated waste)
19 13	**wastes from soil and groundwater remediation**
19 13 01*	solid wastes from soil remediation containing hazardous substances

Table S2.4 Permitted waste types and quantities for repackaging (Activity AR4) and storage (Activity AR6) of hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	Notwithstanding the listed wastes below, wastes with the following Hazardous Properties are not permitted: HP1, HP9, HP15.
Waste code	**Description**
19 13 03*	sludges from soil remediation containing hazardous substances
19 13 05*	sludges from groundwater remediation containing hazardous substances
19 13 07*	aqueous liquid wastes and aqueous concentrates from groundwater remediation containing hazardous substances
20	**MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS**
20 01	**separately collected fractions (except 15 01)**
20 01 13*	solvents
20 01 14*	acids
20 01 15*	alkalines
20 01 17*	photochemicals
20 01 19*	pesticides
20 01 21*	fluorescent tubes and other mercury-containing waste
20 01 23*	discarded equipment containing chlorofluorocarbons
20 01 26*	oil and fat other than those mentioned in 20 01 25
20 01 27*	paint, inks, adhesives and resins containing hazardous substances
20 01 29*	detergents containing hazardous substances
20 01 33*	batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components
20 01 37*	wood containing hazardous substances

Table S2.5 Permitted waste types and quantities for non-hazardous aqueous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration Activity AR1, AR5, and non-hazardous waste storage Activity AR8.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
01	**WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS**
01 01	**wastes from mineral excavation**
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation

Table S2.5 Permitted waste types and quantities for non-hazardous aqueous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration Activity AR1, AR5, and non-hazardous waste storage Activity AR8.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
01 04	**wastes from physical and chemical processing of non-metalliferous minerals**
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
01 05	**drilling muds and other drilling wastes**
01 05 04	freshwater drilling muds and wastes
02	**WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING**
02 01	**wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing**
02 01 01	sludges from washing and cleaning
02 01 09	agrochemical waste other than those mentioned in 02 01 08
02 02	**wastes from the preparation and processing of meat, fish and other foods of animal origin**
02 02 01	sludges from washing and cleaning
02 02 04	sludges from on-site effluent treatment
02 03	**wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation**
02 03 01	sludges from washing, cleaning, peeling, centrifuging and separation
02 03 02	wastes from preserving agents
02 03 04	materials unsuitable for consumption or processing
02 03 05	sludges from on-site effluent treatment
02 04	**wastes from sugar processing**
02 04 03	sludges from on-site effluent treatment
02 05	**wastes from the dairy products industry**
02 05 01	materials unsuitable for consumption or processing
02 05 02	sludges from on-site effluent treatment
02 06	**wastes from the baking and confectionery industry**
02 06 01	materials unsuitable for consumption or processing
02 06 02	wastes from preserving agents
02 06 03	sludges from on-site effluent treatment
02 07	**wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)**
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials
02 07 04	materials unsuitable for consumption or processing
02 07 05	sludges from on-site effluent treatment
03	**WASTES FROM WOOD PROCESSING AND THE PRODUCTION OF PANELS AND FURNITURE, PULP, PAPER AND CARDBOARD**

Table S2.5 Permitted waste types and quantities for non-hazardous aqueous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration Activity AR1, AR5, and non-hazardous waste storage Activity AR8.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
03 03	**wastes from pulp, paper and cardboard production and processing**
03 03 05	de-inking sludges from paper recycling
03 03 11	sludges from on-site effluent treatment other than those mentioned in 03 03 10
04	**WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES**
04 02	**wastes from the textile industry**
04 02 17	dyestuffs and pigments other than those mentioned in 04 02 16
04 02 20	sludges from on-site effluent treatment other than those mentioned in 04 02 19
05	**WASTES FROM PETROLEUM REFINING, NATURAL GAS PURIFICATION AND PYROLYTIC TREATMENT OF COAL**
05 01	**wastes from petroleum refining**
05 01 10	sludges from on-site effluent treatment other than those mentioned in 05 01 09
05 01 13	boiler feedwater sludges
05 01 14	wastes from cooling columns
05 06	**wastes from the pyrolytic treatment of coal**
05 06 04	wastes from cooling columns
06	**WASTES FROM INORGANIC CHEMICAL PROCESSES**
06 03	**wastes from the MFSU of salts and their solutions and metallic oxides**
06 03 14	solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13
06 05	**sludges from on-site effluent treatment**
06 05 03	sludges from on-site effluent treatment other than those mentioned in 06 05 02
07	**WASTES FROM ORGANIC CHEMICAL PROCESSES**
07 01	**wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals**
07 01 12	sludges from on-site effluent treatment other than those mentioned in 07 01 11
07 02	**wastes from the MFSU of plastics, synthetic rubber and man-made fibres**
07 02 12	sludges from on-site effluent treatment other than those mentioned in 07 02 11
07 03	**wastes from the MFSU of organic dyes and pigments (except 06 11)**
07 03 12	sludges from on-site effluent treatment other than those mentioned in 07 03 11
07 04	**wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides**
07 04 12	sludges from on-site effluent treatment other than those mentioned in 07 04 11
07 05	**wastes from the MFSU of pharmaceuticals**
07 05 12	sludges from on-site effluent treatment other than those mentioned in 07 05 11
07 06	**wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics**

Table S2.5 Permitted waste types and quantities for non-hazardous aqueous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration Activity AR1, AR5, and non-hazardous waste storage Activity AR8.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
07 06 12	sludges from on-site effluent treatment other than those mentioned in 07 06 11
07 07	**wastes from the MFSU of fine chemicals and chemical products not otherwise specified**
07 07 12	sludges from on-site effluent treatment other than those mentioned in 07 07 11
08	**WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS**
08 01	**wastes from MFSU and removal of paint and varnish**
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
08 01 14	sludges from paint or varnish other than those mentioned in 08 01 13
08 01 16	aqueous sludges containing paint or varnish other than those mentioned in 08 01 15
08 01 18	wastes from paint or varnish removal other than those mentioned in 08 01 17
08 01 20	aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19
08 02	**wastes from MFSU of other coatings (including ceramic materials)**
08 02 02	aqueous sludges containing ceramic materials
08 02 03	aqueous suspensions containing ceramic materials
08 03	**wastes from MFSU of printing inks**
08 03 07	aqueous sludges containing ink
08 03 08	aqueous liquid waste containing ink
08 03 13	waste ink other than those mentioned in 08 03 12
08 03 15	ink sludges other than those mentioned in 08 03 14
08 04	**wastes from MFSU of adhesives and sealants (including waterproofing products)**
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09
08 04 12	adhesive and sealant sludges other than those mentioned in 08 04 11
08 04 14	aqueous sludges containing adhesives or sealants other than those mentioned in 08 04 13
08 04 16	aqueous liquid waste containing adhesives or sealants other than those mentioned in 08 04 15
10	**WASTES FROM THERMAL PROCESSES**
10 01	**wastes from power stations and other combustion plants (except 19)**
10 01 21	sludges from on-site effluent treatment other than those mentioned in 10 01 20
10 01 23	aqueous sludges from boiler cleansing other than those mentioned in 10 01 22
10 01 26	wastes from cooling-water treatment
10 02	**wastes from the iron and steel industry**
10 02 12	wastes from cooling-water treatment other than those mentioned in 10 02 11

Table S2.5 Permitted waste types and quantities for non-hazardous aqueous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration Activity AR1, AR5, and non-hazardous waste storage Activity AR8.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
10 03	**wastes from aluminium thermal metallurgy**
10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27
10 04	**wastes from lead thermal metallurgy**
10 04 09	wastes from cooling-water treatment containing oil
10 04 10	wastes from cooling-water treatment other than those mentioned in 10 04 09
10 05	**wastes from zinc thermal metallurgy**
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08
10 06	**wastes from copper thermal metallurgy**
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09
10 07	**wastes from silver, gold and platinum thermal metallurgy**
10 07 08	wastes from cooling water treatment other than those mentioned in 10 07 07
10 08	**wastes from other non-ferrous thermal metallurgy**
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19
10 12	**wastes from manufacture of ceramic goods, bricks, tiles and construction products**
10 12 13	wastes from on-site effluent treatment
11	**WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY**
11 01	**Wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)**
11 01 12	aqueous rinsing liquids other than those mentioned in 11 01 11
11 01 14	degreasing wastes other than those mentioned in 11 01 12
16	**WASTES NOT OTHERWISE SPECIFIED IN THE LIST**
16 01	**end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)**
16 01 15	antifreeze fluids other than those mentioned in 16 01 14
16 03	**off-specification batches and unused products**
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 06	organic wastes other than those mentioned in 16 03 05
16 05	**gases in pressure containers and discarded chemicals**
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08
16 10	**aqueous liquid wastes destined for off-site treatment**
16 10 02	aqueous liquid wastes other than those mentioned in 16 10 01
16 10 04	aqueous concentrates other than those mentioned in 16 10 03

Table S2.5 Permitted waste types and quantities for non-hazardous aqueous waste treatment involving pre-mixing, settlement, phase separation, equalisation and ultrafiltration Activity AR1, AR5, and non-hazardous waste storage Activity AR8.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
19	**WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE**
19 02	**wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)**
19 02 03	premixed wastes composed only of non-hazardous wastes
19 02 06	sludges from physico/chemical treatment other than those mentioned in 19 02 05
19 04	**vitrified waste and wastes from vitrification**
19 04 04	aqueous liquid wastes from vitrified waste tempering
19 07	**landfill leachate**
19 07 03	landfill leachate other than those mentioned in 19 07 02
19 08	**wastes from waste water treatment plants not otherwise specified**
19 08 05	sludges from treatment of urban waste water
19 08 09	grease and oil mixture from oil/water separation containing edible oil and fats
19 08 12	sludges from biological treatment of industrial waste water other than those mentioned in 19 08 11
19 08 14	sludges from other treatment of industrial waste water other than those mentioned in 19 08 13
19 11	**wastes from oil regeneration**
19 11 06	sludges from on-site effluent treatment other than those mentioned in 19 11 05
19 13	**wastes from soil and groundwater remediation**
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03
19 13 06	sludges from groundwater remediation other than those mentioned in 19 13 05
19 13 08	aqueous liquid wastes and aqueous concentrates from groundwater remediation other than those mentioned in 19 13 07
20	**MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS**
20 01	**separately collected fractions (except 15 01)**
20 01 28	paint, inks, adhesives and resins other than those mentioned in 20 01 27
20 03	**other municipal wastes**
20 03 03	street-cleaning residues

Table S2.6 Permitted waste types and quantities for repackaging (Activity AR12) and storage (Activity AR13) of non-hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
01	**WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS**
01 01	**wastes from mineral excavation**
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation
01 03	**wastes from physical and chemical processing of metalliferous minerals**
01 03 08	dusty and powdery wastes other than those mentioned in 01 03 07
01 04	**wastes from physical and chemical processing of non-metalliferous minerals**
01 04 09	waste sand and clays
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
01 05	**drilling muds and other drilling wastes**
01 05 04	freshwater drilling muds and wastes
02	**WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING**
02 01	**wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing**
02 01 01	sludges from washing and cleaning
02 01 09	agrochemical waste other than those mentioned in 02 01 08
02 02	**wastes from the preparation and processing of meat, fish and other foods of animal origin**
02 02 01	sludges from washing and cleaning
02 02 04	sludges from on-site effluent treatment
02 03	**wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation**
02 03 01	sludges from washing, cleaning, peeling, centrifuging and separation
02 03 02	wastes from preserving agents
02 03 04	materials unsuitable for consumption or processing
02 03 05	sludges from on-site effluent treatment
02 04	**wastes from sugar processing**
02 04 02	off-specification calcium carbonate
02 04 03	sludges from on-site effluent treatment
02 05	**wastes from the dairy products industry**
02 05 01	materials unsuitable for consumption or processing
02 05 02	sludges from on-site effluent treatment
02 06	**wastes from the baking and confectionery industry**
02 06 01	materials unsuitable for consumption or processing

Table S2.6 Permitted waste types and quantities for repackaging (Activity AR12) and storage (Activity AR13) of non-hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
02 06 02	wastes from preserving agents
02 06 03	sludges from on-site effluent treatment
02 07	**wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)**
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials
02 07 04	materials unsuitable for consumption or processing
02 07 05	sludges from on-site effluent treatment
03	**WASTES FROM WOOD PROCESSING AND THE PRODUCTION OF PANELS AND FURNITURE, PULP, PAPER AND CARDBOARD**
03 01	**wastes from wood processing and the production of panels and furniture**
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
03 03	**wastes from pulp, paper and cardboard production and processing**
03 03 05	de-inking sludges from paper recycling
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard
03 03 08	wastes from sorting of paper and cardboard destined for recycling lime mud waste
03 03 11	sludges from on-site effluent treatment other than those mentioned in 03 03 10
04	**WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES**
04 01	**wastes from the leather and fur industry**
04 01 09	wastes from dressing and finishing
04 02	**wastes from the textile industry**
04 02 10	organic matter from natural products (for example grease, wax)
04 02 15	wastes from finishing other than those mentioned in 04 02 14
04 02 17	dyestuffs and pigments other than those mentioned in 04 02 16
04 02 20	sludges from on-site effluent treatment other than those mentioned in 04 02 19
04 02 21	wastes from unprocessed textile fibres
04 02 22	wastes from processed textile fibres
05	**WASTES FROM PETROLEUM REFINING, NATURAL GAS PURIFICATION AND PYROLYTIC TREATMENT OF COAL**
05 01	**wastes from petroleum refining**
05 01 10	sludges from on-site effluent treatment other than those mentioned in 05 01 09
05 01 13	boiler feedwater sludges
05 01 14	wastes from cooling columns
05 01 17	bitumen
05 06	**wastes from the pyrolytic treatment of coal**
05 06 04	waste from cooling columns

Table S2.6 Permitted waste types and quantities for repackaging (Activity AR12) and storage (Activity AR13) of non-hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
05 07	**wastes from the natural gas purification and transportation**
05 07 02	wastes containing sulphur
06	**WASTES FROM INORGANIC CHEMICAL PROCESSES**
06 03	**wastes from the MFSU of salts and their solutions and metallic oxides**
06 03 14	solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13
06 05	**sludges from on-site effluent treatment**
06 05 03	sludges from on-site effluent treatment other than those mentioned in 06 05 02
06 06	**wastes from the MFSU of sulphur chemicals, sulphur chemical processes and desulphurisation processes**
06 06 03	wastes containing sulphides other than those mentioned in 06 06 02
06 09	**wastes from the MSFU of phosphorous chemicals and phosphorous chemical processes**
06 09 04	calcium-based reaction wastes other than those mentioned in 06 09 03
07	**WASTES FROM ORGANIC CHEMICAL PROCESSES**
07 01	**wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals**
07 01 12	sludges from on-site effluent treatment other than those mentioned in 07 01 11
07 02	**wastes from the MFSU of plastics, synthetic rubber and man-made fibres**
07 02 12	sludges from on-site effluent treatment other than those mentioned in 07 02 11
07 02 13	waste plastic
07 02 15	wastes from additives other than those mentioned in 07 02 14
07 02 17	wastes containing silicones other than those mentioned in 07 02 16
07 03	**wastes from the MFSU of organic dyes and pigments (except 06 11)**
07 03 12	sludges from on-site effluent treatment other than those mentioned in 07 03 11
07 04	**wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides**
07 04 12	sludges from on-site effluent treatment other than those mentioned in 07 04 11
07 05	**wastes from the MFSU of pharmaceuticals**
07 05 12	sludges from on-site effluent treatment other than those mentioned in 07 05 11
07 05 14	solid wastes other than those mentioned in 07 05 13
07 06	**wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics**
07 06 12	sludges from on-site effluent treatment other than those mentioned in 07 06 11
07 07	**wastes from the MFSU of fine chemicals and chemical products not otherwise specified**
07 07 12	sludges from on-site effluent treatment other than those mentioned in 07 07 11

Table S2.6 Permitted waste types and quantities for repackaging (Activity AR12) and storage (Activity AR13) of non-hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
08	**WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS**
08 01	**wastes from MFSU and removal of paint and varnish**
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
08 01 14	sludges from paint or varnish other than those mentioned in 08 01 13
08 01 16	aqueous sludges containing paint or varnish other than those mentioned in 08 01 15
08 01 18	wastes from paint or varnish removal other than those mentioned in 08 01 17
08 01 20	aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19
08 02	**wastes from MFSU of other coatings (including ceramic materials)**
08 02 01	waste coating powders
08 02 02	aqueous sludges containing ceramic materials
08 02 03	aqueous suspensions containing ceramic materials
08 03	**wastes from MFSU of printing inks**
08 03 07	aqueous sludges containing ink
08 03 08	aqueous liquid waste containing ink
08 03 13	waste ink other than those mentioned in 08 03 12
08 03 15	ink sludges other than those mentioned in 08 03 14
08 03 18	waste printing toner other than those mentioned in 08 03 17
08 04	**wastes from MFSU of adhesives and sealants (including waterproofing products)**
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09
08 04 12	adhesive and sealant sludges other than those mentioned in 08 04 11
08 04 14	aqueous sludges containing adhesives or sealants other than those mentioned in 08 04 13
08 04 16	aqueous liquid waste containing adhesives or sealants other than those mentioned in 08 04 15
09	**WASTES FROM THE PHOTOGRAPHIC INDUSTRY**
09 01	**wastes from the photographic industry**
09 01 07	photographic film and paper containing silver or silver compounds
09 01 08	photographic film and paper free of silver or silver compounds
09 01 10	single use cameras without batteries
09 01 12	single use cameras containing batteries other than those mentioned in 09 01 11
10	**WASTES FROM THERMAL PROCESSES**
10 01	**wastes from power stations and other combustion plants (except 19)**
10 01 01	bottom ash, slag and boiler dust (excluding boiler dust mentioned in 10 01 04)

Table S2.6 Permitted waste types and quantities for repackaging (Activity AR12) and storage (Activity AR13) of non-hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
10 01 21	sludges from on-site effluent treatment other than those mentioned in 10 01 20
10 01 23	aqueous sludges from boiler cleansing other than those mentioned in 10 01 22
10 01 26	wastes from cooling-water treatment
10 02	**wastes from the iron and steel industry**
10 02 12	wastes from cooling-water treatment other than those mentioned in 10 02 11
10 02 14	sludges and filter cakes from gas treatment other than those mentioned in 10 02 13
10 02 15	other sludges and filter cakes
10 03	**wastes from aluminium thermal metallurgy**
10 03 26	sludges and filter cakes from gas treatment other than those mentioned in 10 03 25
10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27
10 04	**wastes from lead thermal metallurgy**
10 04 09	wastes from cooling-water treatment containing oil
10 04 10	wastes from cooling-water treatment other than those mentioned in 10 04 09
10 05	**wastes from zinc thermal metallurgy**
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08
10 06	**wastes from copper thermal metallurgy**
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09
10 07	**wastes from silver, gold and platinum thermal metallurgy**
10 07 08	wastes from cooling water treatment other than those mentioned in 10 07 07
10 08	**wastes from other non-ferrous thermal metallurgy**
10 08 04	particulates and dust
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19
10 09	**wastes from casting of ferrous pieces**
10 09 06	casting cores and moulds which have not undergone pouring other than those mentioned in 10 09 05
10 09 08	casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07
10 09 16	waste crack-indicating agent other than those mentioned in 10 09 15
10 10	**wastes from casting of non-ferrous pieces**
10 10 06	casting cores and moulds which have not undergone pouring, other than those mentioned in 10 10 05
10 10 08	casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07
10 10 16	waste crack-indicating agent other than those mentioned in 10 10 15
10 11	**wastes from manufacture of glass and glass products**
10 11 03	waste glass-based fibrous materials

Table S2.6 Permitted waste types and quantities for repackaging (Activity AR12) and storage (Activity AR13) of non-hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
10 11 05	particulates and dust
10 11 12	waste glass other than those mentioned in 10 11 11
10 11 14	glass polishing and grinding sludge other than those mentioned in 10 11 13
10 11 20	solid wastes from on-site effluent treatment other than those mentioned in 10 11 19
10 12	**wastes from manufacture of ceramic goods, bricks, tiles and construction products**
10 12 06	discarded moulds
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)
10 12 10	solid wastes from gas treatment other than those mentioned in 10 12 09
10 12 12	wastes from glazing other than those mentioned in 10 12 11
10 12 13	wastes from on-site effluent treatment
10 13	**wastes from manufacture of cement, lime and plaster and articles and products made from them**
10 13 01	waste preparation mixture before thermal processing
10 13 04	wastes from calcination and hydration of lime
10 13 14	waste concrete and concrete sludge
11	**WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY**
11 01	**Wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)**
11 01 10	sludges and filter cakes other than those mentioned in 11 01 09
11 01 12	aqueous rinsing liquids other than those mentioned in 11 01 11
11 01 14	degreasing wastes other than those mentioned in 11 01 12
12	**WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS**
12 01	**wastes from shaping and physical and mechanical surface treatment of metals and plastics**
12 01 01	ferrous metal filings and turnings
12 01 02	ferrous metal dust and particles
12 01 03	non-ferrous metal filings and turnings
12 01 04	non-ferrous metal dust and particles
12 01 05	plastics shavings and turnings
12 01 13	welding wastes
12 01 15	machining sludges other than those mentioned in 12 01 14
12 01 17	waste blasting material other than those mentioned in 12 01 16
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20

Table S2.6 Permitted waste types and quantities for repackaging (Activity AR12) and storage (Activity AR13) of non-hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
15	**WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED**
15 01	**packaging (including separately collected municipal packaging waste)**
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging
15 01 09	textile packaging
15 02	**absorbents, filter materials, wiping cloths and protective clothing**
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16	**WASTES NOT OTHERWISE SPECIFIED IN THE LIST**
16 01	**end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)**
16 01 03	end-of-life tyres
16 01 12	brake pads other than those mentioned in 16 01 11
16 01 15	antifreeze fluids other than those mentioned in 16 01 14
16 01 17	ferrous metal
16 01 18	non-ferrous metal
16 01 19	plastic
16 01 20	glass
16 01 22	components not otherwise specified
16 02	**wastes from electrical and electronic equipment**
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
16 03	**off-specification batches and unused products**
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 06	organic wastes other than those mentioned in 16 03 05
16 05	**gases in pressure containers and discarded chemicals**
16 05 05	gases in pressure containers other than those mentioned in 16 05 04
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

Table S2.6 Permitted waste types and quantities for repackaging (Activity AR12) and storage (Activity AR13) of non-hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
16 06	**batteries and accumulators**
16 06 04	alkaline batteries (except 16 06 03)
16 06 05	other batteries and accumulators
16 08	**spent catalysts**
16 08 04	spent fluid catalytic cracking catalysts (except 16 08 07)
16 10	**aqueous liquid wastes destined for off-site treatment**
16 10 02	aqueous liquid wastes other than those mentioned in 16 10 01
16 10 04	aqueous concentrates other than those mentioned in 16 10 03
16 11	**waste linings and refractories**
16 11 02	carbon-based linings and refractories from metallurgical processes other than those mentioned in 16 11 01
16 11 04	other linings and refractories from metallurgical processes other than those mentioned in 16 11 03
16 11 06	linings and refractories from non-metallurgical processes other than those mentioned in 16 11 05
17	**CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)**
17 01	**concrete, bricks, tiles and ceramics**
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	**wood, glass and plastic**
17 02 01	wood
17 02 02	glass
17 02 03	plastic
17 03	**bituminous mixtures, coal tar and tarred products**
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
17 04	**metals (including their alloys)**
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 03	lead
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals

Table S2.6 Permitted waste types and quantities for repackaging (Activity AR12) and storage (Activity AR13) of non-hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
17 04 11	cables other than those mentioned in 17 04 10
17 05	**soil (including excavated soil from contaminated sites), stones and dredging spoil**
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 08	track ballast other than those mentioned in 17 05 07
17 06	**insulation materials and asbestos-containing construction materials**
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03
17 08	**gypsum-based construction material**
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01
17 09	**other construction and demolition wastes**
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
18	**WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)**
18 01	**wastes from natal care, diagnosis, treatment or prevention of disease in humans**
18 01 01	sharps (except 18 01 03)
18 01 07	chemicals other than those mentioned in 18 01 06
19	**WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE**
19 02	**wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)**
19 02 03	premixed wastes composed only of non-hazardous wastes
19 02 06	sludges from physico/chemical treatment other than those mentioned in 19 02 05
19 03	**stabilised/solidified wastes**
19 03 05	stabilised wastes other than those mentioned in 19 03 04
19 03 07	solidified wastes other than those mentioned in 19 03 06
19 04	**vitrified waste and wastes from vitrification**
19 04 04	aqueous liquid wastes from vitrified waste tempering
19 06	**wastes from anaerobic treatment of waste**
19 06 03	liquor from anaerobic treatment of municipal waste
19 06 05	liquor from anaerobic treatment of animal and vegetable waste
19 07	**landfill leachate**
19 07 03	landfill leachate other than those mentioned in 19 07 02
19 08	**wastes from waste water treatment plants not otherwise specified**
19 08 05	sludges from treatment of urban waste water

Table S2.6 Permitted waste types and quantities for repackaging (Activity AR12) and storage (Activity AR13) of non-hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
19 08 09	grease and oil mixture from oil/water separation containing edible oil and fats
19 08 12	sludges from biological treatment of industrial waste water other than those mentioned in 19 08 11
19 08 14	sludges from other treatment of industrial waste water other than those mentioned in 19 08 13
19 09	**wastes from the preparation of water intended for human consumption or water for industrial use**
19 09 01	solid waste from primary filtration and screenings
19 09 02	sludges from water clarification
19 09 03	sludges from decarbonation
19 09 04	spent activated carbon
19 10	**wastes from shredding of metal-containing wastes**
19 10 01	iron and steel waste
19 10 02	non-ferrous waste
19 11	**wastes from oil regeneration**
19 11 06	sludges from on-site effluent treatment other than those mentioned in 19 11 05
19 12	**wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified**
19 12 01	paper and cardboard
19 12 02	ferrous metal
19 12 03	non-ferrous metal
19 12 04	plastic and rubber
19 12 05	glass
19 12 07	wood other than that mentioned in 19 12 06
19 12 08	textiles
19 12 09	minerals (for example sand, stones)
19 12 12	other wastes (limited to non-hazardous oil or cooking oil-contaminated waste)
19 13	**wastes from soil and groundwater remediation**
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03
19 13 06	sludges from groundwater remediation other than those mentioned in 19 13 05
19 13 08	aqueous liquid wastes and aqueous concentrates from groundwater remediation other than those mentioned in 19 13 07
20	**MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS**
20 01	**separately collected fractions (except 15 01)**

Table S2.6 Permitted waste types and quantities for repackaging (Activity AR12) and storage (Activity AR13) of non-hazardous waste.	
Maximum quantity	The total quantity of wastes accepted at this site shall not exceed 30,000 tonnes per year.
Exclusions	None
Waste code	**Description**
20 01 01	paper and cardboard
20 01 02	glass
20 01 08	biodegradable kitchen and canteen waste
20 01 10	clothes
20 01 11	textiles
20 01 25	edible oil and fat
20 01 28	paint, inks, adhesives and resins other than those mentioned in 20 01 27
20 01 30	detergents other than those mentioned in 20 01 29
20 01 34	batteries and accumulators other than those mentioned in 20 01 33
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	plastics
20 01 40	metals
20 03	**other municipal wastes**
20 03 01	mixed municipal waste
20 03 03	street-cleaning residues
20 03 07	bulky waste

Schedule 3 – Emissions and monitoring

Table S3.1 Point source emissions to air – emission limits and monitoring requirements						
Emission point ref. & location	**Source**	**Parameter (Note 1)**	**Limit (incl. unit)**	**Reference Period (Note 2)**	**Monitoring frequency (Note 5)**	**Monitoring standard or method**
A1 Emissions point location to be agreed upon completion of IC4a and IC4b.	Treatment tanks 4, 5, and 6 vent via abatement system	Total Volatile Organic Compounds (TVOCs) (Note 4)	20 mg/m^3 (Note 3 and 4)	Average value of 3 consecutive measurements of at least 30 minutes each	Every 6 months (Note 4)	EN 12619 (Note 4)
		Hydrogen Chloride (HCl) (Note 4)	5 mg/m^3 (Note 4)	Average value of 3 consecutive measurements of at least 30 minutes each	Every 6 months (Note 4)	EN 1911 (Note 4)
		Ammonia (NH_3) (Note 4)	No limit set (Note 4)	Average value of 3 consecutive measurements of at least 30 minutes each	Every 6 months (Note 4)	EN ISO 21877 (Note 4)
A2 Emissions point location to be agreed upon completion of IC4a and IC4b.	Storage tanks 7, 8, 9, and 10 vent via abatement system	No parameter set	No limit set	-	-	As specified in Table S3.3
A11 Emission point As shown on the plan Appendix 25 SITE PLAN 2026	A diesel-powered generator exhaust stack <1 MWth	No parameter set	No limit set	-	-	-

Table S3.1 Point source emissions to air – emission limits and monitoring requirements						
Emission point ref. & location	**Source**	**Parameter (Note 1)**	**Limit (incl. unit)**	**Reference Period (Note 2)**	**Monitoring frequency (Note 5)**	**Monitoring standard or method**
Emission points from sampling, blending & repackaging area via local exhaust ventilation (LEV) extraction As shown on the plan Appendix 25 SITE PLAN 2026.	LEV from sampling, blending & repackaging area via abatement system.	No parameter set	No limit set	-	-	As specified in Table S3.3

Note 1: In addition, the operator shall also monitor for relevant waste gas parameters as required: flow, temperature, average concentration/load values of relevant substances (e.g. organic compounds, POPs such as PCBs) flammability, lower and upper explosive limits, reactivity and other substances which may affect gas treatment or plant safety (e.g. oxygen, nitrogen, water vapour, dust).

Note 2: To the extent possible, the measurements shall be carried out at the highest expected emission state under normal operating conditions.

Note 3: Limit is 45 mg/m^3 when the emission load is below 0.5 kg/h at the emission point.

Note 4: This monitoring requirement and limit only applies when the substance is present in the waste gas stream.

Note 5: Monitoring frequencies may be reduced with the written agreement of the Environment Agency if emission levels are proven to be sufficiently stable.

Table S3.2 Point source emissions to sewer, effluent treatment plant or other transfers off-site – emission limits and monitoring requirements						
Emission point ref. & location	**Source**	**Parameter (Note 1)**	**Limit (incl. unit) (Note 5)**	**Reference period (Note 2)**	**Monitoring frequency (Note 4)**	**Monitoring standard or method**
S1 – Emission point S1 As shown on the plan Appendix 25 SITE PLAN 2026, directly to Yorkshire Water	Discharge of permeate generated through on-site treatment of water-based liquid waste through ultrafiltration system.	Adsorbable organically bound halogens (AOX) (Note 3 and 6)	1 mg/l	--	Daily	EN ISO 9562
		Arsenic (expressed as As)	0.1 mg/l	--	Daily	EN ISO 11885 EN ISO 17294-2 EN ISO 15586

Table S3.2 Point source emissions to sewer, effluent treatment plant or other transfers off-site – emission limits and monitoring requirements						
Emission point ref. & location	**Source**	**Parameter (Note 1)**	**Limit (incl. unit) (Note 5)**	**Reference period (Note 2)**	**Monitoring frequency (Note 4)**	**Monitoring standard or method**
Knostrop Sewage Treatment Works via the foul sewer.		(Note 3 and 6)				
		Benzene, toluene, ethylbenzene , xylene (BTEX) (Note 3 and 6)	No limit set	--	Monthly	EN ISO 15680
		Cadmium (expressed as Cd) (Note 3 and 6)	0.1 mg/l	--	Daily	EN ISO 11885 EN ISO 17294-2 EN ISO 15586
		Chromium (expressed as Cr) (Note 3 and 6)	0.3 mg/l	--	Daily	EN ISO 11885 EN ISO 17294-2 EN ISO 15586
		Copper (expressed as Cu) (Note 3 and 6)	0.5 mg/l	--	Daily	EN ISO 11885 EN ISO 17294-2 EN ISO 15586
		Free cyanide (CN-) (Note 3 and 6)	0.1 mg/l	--	Daily	Various EN standards (for example EN ISO 14403-1 and -2)
		Hexavalent chromium (expressed as Cr (VI)) (Note 3 and 6)	0.1 mg/l	--	Daily	EN ISO 10304-3 EN ISO 23913
		Hydrocarbon oil index (HOI) (Note 6)	10 mg/l	--	Daily	EN ISO 9377-2
		Lead (expressed as Pb) (Note 3 and 6)	0.3 mg/l	--	Daily	EN ISO 11885 EN ISO 17294-2 EN ISO 15586

Table S3.2 Point source emissions to sewer, effluent treatment plant or other transfers off-site – emission limits and monitoring requirements						
Emission point ref. & location	**Source**	**Parameter (Note 1)**	**Limit (incl. unit) (Note 5)**	**Reference period (Note 2)**	**Monitoring frequency (Note 4)**	**Monitoring standard or method**
		Manganese (Mn) (Note 3)	No limit set	--	Daily	EN ISO 11885 EN ISO 17294-2 EN ISO 15586
		Mercury (expressed as Hg) (Note 3 and 6)	10 µg/l	--	Daily	BS EN 12846 BS EN ISO 17852
		Nickel (expressed as Ni) (Note 3 and 6)	1 mg/l	--	Daily	EN ISO 11885 EN ISO 17294-2 EN ISO 15586
		PFOA (Note 3)	No limit set	--	Every 6 months	BS ISO 21675
		PFOS (Note 3)	No limit set	--	Every 6 months	BS ISO 21675
		Zinc (expressed as Zn) (Note 3 and 6)	2 mg/l	--	Daily	EN ISO 11885 EN ISO 17294-2 EN ISO 15586

Note 1: In addition the operator shall also monitor for relevant waste water parameters as required for example pH, temperature, conductivity, BOD.

Note 2: Relevant reference period:

- In the case of continuous discharge, daily average values, i.e. 24-hour flow-proportional composite samples.
- In the case of batch discharge, average values over the release duration taken as flow-proportional composite samples, or, provided that the effluent is appropriately mixed and homogeneous, a spot sample taken before discharge.

Note 3: This substance is only required to be monitored where present in the wastewater emissions inventory.

Note 4: Monitoring frequencies may be reduced with the written agreement of the Environment Agency if emission levels are proven to be sufficiently stable, or in the case of a batch discharge less than the minimum monitoring frequency where monitoring is carried out once per batch.

Note 5: The BAT-AELs may not apply if the downstream waste water treatment plant abates the pollutant concerned, provided this does not lead to a higher level of pollution of the environment. The operator may request in writing to disapply the BAT-AELs, supported by a revised H1 Assessment and confirmation from the sewerage undertaker that the waste water treatment plant abates the pollutant concerned.

Note 6: In the case of an indirect discharge to a receiving water body, the monitoring frequency may be reduced if the downstream waste water treatment plant abates the pollutants concerned.

Table S3.3 Process monitoring requirements				
Emission point reference or source or description of point of measurement	**Parameter**	**Monitoring frequency**	**Monitoring standard or method**	**Other Specifications**
Abatement system on points A1 and A2	Efficiency assessment	As specified in the agreed abatement plan to be agreed with completion of IC4a and IC4b.	Abatement shall be installed, maintained, operated and replaced in accordance with the manufacturer's recommendations and with the agreed abatement plan to be agreed with completion of IC4a and IC4b.	-
Abatement system serving the two LEV systems from sampling, blending & repackaging area.	Efficiency assessment	As specified in the agreed abatement plan to be agreed with completion of IC4a and IC4b.	Abatement shall be installed, maintained, operated and replaced in accordance with the manufacturer's recommendations and with the agreed abatement plan to be agreed with completion of IC4a and IC4b.	-

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data			
Parameter	**Emission or monitoring point/reference**	**Reporting period**	**First period begins**
Emissions to air Parameters as required by condition 3.5.1.	A1.	Every 6 months	1 January
Emissions to sewer Parameters as required by condition 3.5.1	S1.	Annually	1 January
Process monitoring Parameters as required by condition 3.5.1	As specified in the agreed abatement plan upon completion of IC4a and IC4b.	Annually, or as agreed in writing by the Environment Agency.	1 January

Table S4.2 Annual production/treatment	
Parameter	**Units**
Hazardous waste treated - Recovery	tonnes
Hazardous waste treated - Disposal	tonnes
Non-hazardous waste treated - Recovery	tonnes
Non-hazardous waste treated - Disposal	tonnes

Table S4.3 Performance parameters		
Parameter	**Frequency of assessment**	**Units**
Water usage	Annually	cubic metres
Energy usage	Annually	MWh
Total raw material used	Annually	tonnes

Table S4.4 Reporting forms		
Media/parameter	**Reporting format**	**Date of form**
Point source emissions to air	Emissions to Air Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	February 2026
Point source emissions to sewer	Emissions to Sewer Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	February 2026
Process monitoring	Process Monitoring Form, or other form as agreed in writing by the Environment Agency	February 2026
Water usage	Water Usage Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	08/03/2021
Energy usage	Energy Usage Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	08/03/2021

Table S4.4 Reporting forms		
Media/parameter	**Reporting format**	**Date of form**
Other performance indicators	Other Performance Parameters Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	08/03/2021

Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution	
To be notified within 24 hours of detection	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substance(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	**Notification period**

(c) Notification requirements for the breach of permit conditions not related to limits	
To be notified within 24 hours of detection	
Condition breached	
Date, time and duration of breach	
Details of the permit breach i.e. what happened including impacts observed.	
Measures taken, or intended to be taken, to restore permit compliance.	

(d) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substance(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“blending or mixing” is the combination of wastes (other than repackaging) of the same general type (for example non-halogenated solvents or acids) having similar characteristics, in a container or bulk vessel or tank, where there is neither reaction of the mixed wastes nor evolution of gas.

“building” is a covered structure enclosed on all vertical sides that provides sheltered cover and contains emissions of, for example, noise, particulate matter, odour and litter.

“clinical” waste means waste from a healthcare activity (including veterinary healthcare) that:

- contains viable micro-organisms or their toxins which are known or reliably believed to cause disease in humans or other living organisms
- contains or is contaminated with a medicine that contains a biologically active pharmaceutical agent
- is a sharp, or a body fluid or other biological material (including human and animal tissue) containing or contaminated with a hazardous substance
- and waste of a similar nature from a non-healthcare activity.

“CMR” means substances that are carcinogenic, mutagenic or toxic for reproduction in accordance with UK REACH, that is substances with classifications category 1A H340, H350, H360, category 1B H340, H350, H360, category 2 H341, H351, H361.

“container” is a receptacle for waste for example bags, bins, boxes, drums, IBCs and blister packs. Wastes may be packaged in more than one receptacle for example a bag in a box.

“cytotoxic and cytostatic medicines” are medicinal products that possess one or more of the hazardous properties acutely toxic, carcinogenic, mutagenic or toxic for reproduction.

“D” means a disposal operation provided for in Annex I to Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on Waste.

“disposal” means any of the operations provided for in Annex I to the Waste Framework Directive.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission or background concentration limit.

“emissions to land” includes emissions to groundwater.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

“fugitive emission” means an emission to air, water or land from the activities which is not controlled by an emission limit.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“hazardous property” has the meaning in Annex iii of the Waste Framework Directive.

“hazardous waste” has the meaning given in the Hazardous Waste (England and Wales) Regulations 2005.

“healthcare waste” means waste produced during human or animal healthcare, or related research activities. It covers both clinical and offensive waste. Wastes produced by healthcare in the community, and similar types of waste produced by non-healthcare activities are included, for example:

- cosmetic body piercing and body art
- non-medicinal procedures in the hair and beauty sector
- substance abuse
- crime scene clean-up

“impermeable surface” means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface.

“Industrial Emissions Directive” means Directive 2010/75/EU of the European Parliament and of the Council of 24 November 2010 on industrial emissions, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

“List of Wastes” means the list of wastes established by Commission Decision replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste, as amended from time to time.

“MCERTS” means the Environment Agency’s Monitoring Certification Scheme.

“medicines” are “medicinal products” as defined in Regulation 130 of Part VIII of the Medicines Act 1968. Waste medicines (or pharmaceutical waste) include:

- expired, unused, spilt and contaminated medical products that are no longer required and need to be disposed of appropriately;
- discarded items contaminated with medicines such as bottles or boxes with residues, gloves, masks.

“mixing of hazardous waste” means mixing hazardous waste as defined by Regulation 18 of the Hazardous Waste (England and Wales) Regulations 2005.

“offensive waste” is waste that:

- is not clinical waste
- contains body fluids, secretions or excretions
- falls within waste codes 18 01 04, 18 02 03 or 20 01 99.

“pests” means birds, vermin and insects.

“pollution” includes pollution of the environment, harm to human health and serious detriment to the amenities of the locality, resulting from the permitted activities.

“POPs” means persistent organic pollutants, which are the substances listed in Annexes I and II of the retained Regulation (EU) 2019/1021 as amended by The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020/1358 and The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2022/1293.

“quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“R” means a recovery operation provided for in Annex II to Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on Waste.

“recovery” means any of the operations provided for in Annex II to the Waste Framework Directive.

“sealed container” for the purposes of this permit, means a container which is fully enclosed, weather proof, does not allow any solid or liquid content to escape and is lockable.

“sealed drainage” in relation to an impermeable surface means a drainage system with impermeable components which does not leak and which will ensure that:

no liquid will run off the surface otherwise than via the system, and

except where they may lawfully be discharged to foul sewer, all liquids entering the system are collected in a sealed sump

“sharps” means items that could cause cuts or puncture wounds. They include needles, hypodermic needles, scalpels and other blades, knives, infusion sets, saws, broken glass, and nails.

“volatile organic compound” (VOC) means any organic compound as well as the fraction of creosote, having at 293.15 K a vapour pressure of 0.01 kPa or more, or having a corresponding volatility under the particular conditions of use.

“waste code” means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

“waste oils” means any mineral or synthetic lubrication or industrial oils which have become unfit for the use for which they were originally intended, such as used combustion engine oils and gearbox oils, lubricating oils, oils for turbines and hydraulic oils.

“Waste Framework Directive” or “WFD” means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

“year” means calendar year ending 31 December.

Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means:

in relation to emissions from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid and gaseous fuels, 6% dry for solid fuels; and/or

in relation to emissions from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content.

When the following terms appear in the waste code list in Schedule 2, tables S2.2 to S2.6, they have the meaning given below:

“hazardous substance” means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008.

“heavy metal” means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances.

“PCBs” means:

- polychlorinated biphenyls
- polychlorinated terphenyls
- monomethyl-tetrachlorodiphenyl methane, Monomethyl-dichloro-diphenyl methane, Monomethyldibromo-diphenyl methane
- any mixture containing any of the above mentioned substances in a total of more than 0.005% by weight.

Schedule 7 – Site plan

Figure 1: Site location and permit boundary



Figure 2: Site layout plan including emission points

END OF PERMIT.